



# STEEL PLATE BEAM GUARD

[Back to Approved Lists](#)



## YEAR 2004

### WisDOT Approved Shipments Prequalified Vendor Inventory Lists

**ONLY WisDOT inspected and prequalified inventories of Steel Plate Beam Guard products are allowed for use on WisDOT projects.**

To qualify a shipment must be inspected and tested at the vendor distribution yard. Samples from each shipment are tested for compliance to galvanizing coating thickness requirements. All heat numbers, coating lots, sizes, and types of rail in each shipment are tested. Certified Reports of Test and Analysis are provided for each shipment. The WisDOT verifies the documents, confirms and documents the heat number, type, size, and number of rails for each heat and coating lot in the shipment. The certification documents for each shipment are identified by a unique invoice or bill of lading number.

**Contact:**

<p>Kenneth Nwankwo, Quality Operations Engineer          WisDOT Division of Infrastructure Development          Bureau of Highway Construction          Truax Center          3502 Kinsman Blvd          Madison, WI 53704          Phone: 608-246-5388          e-mail: <a href="mailto:kenneth.nwankwo@dot.state.wi.us">kenneth.nwankwo@dot.state.wi.us</a></p>	<p>Joseph V. White          WisDOT Division of Infrastructure Development          Bureau of Highway Construction          Truax Center          3502 Kinsman Blvd          Madison, WI 53704          Phone: 608-246-5388          e-mail: <a href="mailto:joseph.white@dot.state.wi.us">joseph.white@dot.state.wi.us</a></p>
---	--

## Approved Steel Plate Beam Guard Shipments

<b>Vendor:</b>	Arbor Green, Inc., Portage, WI	
<b>Manufacturer:</b>	Gregory Highway Products, Inc.	

Type 2 = regular steel plate panel

Heat Number	Number of Panels	Panel Length in feet	Panel Type	Invoice/order/lading #	Date Tested
2868	19	12.5	Radius- 30 foot	8574	4/26/2004
2860	27	12.5	Radius- 30 foot	8574	4/26/2004
2771	2	25	SKT 350 End Panel	8574	4/26/2004
2846	4	25	SKT 350 End Panel	8574	4/26/2004
2858	60	25	Type 2	8574	4/26/2004
2790	3	25	Type 2	9136	6/8/2004
2877	31	25	Type 2	9136	6/8/2004
2889	15	25	Type 2	9136	6/8/2004
2896	5	25	Type 2	9136	6/8/2004
2899	19	25	Type 2	9136	6/8/2004
2858	10	12.5	Type 2	9136	6/8/2004
2883	4	25	Type 2	9379	6/16/2004
2908	21	25	Type 2	9379	6/16/2004
2898	25	25	Type 2	9379	6/16/2004
2927	100	25	Type 2	9428	6/21/2004
2923	104	25	Type 2	9428	6/21/2004
2924	56	25	Type 2	9428	6/21/2004
2988	8	25	Type 2	10294	8/18/2004
2989	5	25	Type 2	10294	8/18/2004
2973	7	25	Type 2	10294	8/18/2004
2988	40	12.5	Type 2	10294	8/18/2004
2887	60	12.5	Thrie Beam	10294	8/18/2004
2991	10	12.5	Radius- 5 foot	10294	8/18/2004
2991	10	12.5	Radius- 20 foot	10294	8/18/2004
2991	10	12.5	Radius- 30 foot	10294	8/18/2004
2991	10	12.5	Radius- 40 foot	10294	8/18/2004
2991	10	12.5	Radius- 60 foot	10294	8/18/2004
2964	12	25	Type 2	11207	10/18/2004
3072	4	25	Type 2	11207	10/18/2004
3077	136	25	Type 2	11207	10/18/2004
3014	1	12.5	Thrie Beam	11457	11/5/2004
3049	24	12.5	Thrie Beam	11457	11/5/2004
3092	40	12.5	Type 2	11457	11/5/2004
3066	8	25	Type 2	11457	11/5/2004
3072	40	25	Type 2	11457	11/5/2004
2992	18	25	Type 2	11457	11/5/2004
3037	25	12.5	Thrie Beam	11457	11/30/2004

## Approved Steel Plate Beam Guard Shipments

<b>Vendor:</b>	Highway Landscapers Inc. Kaukauna, WI
<b>Manufacturer:</b>	Gregory Highway Products, Inc.

Type 2 = regular steel plate panel

Heat Number	Number of Panels	Panel Length in feet	Panel Type	Invoice/order/lading #	Date Tested
2790	71		25 Type 2	8247	4/6/2004
2801	9		25 Type 2	8247	4/6/2004
2846	40		25 Type 2	8247	4/6/2004
2848	60		25 Type 2	8247	4/6/2004
2880	25		12.5 Thrie Beam	9281	6/15/2004
2789	50		12.5 Thrie Beam	9281	6/15/2004
2881	165		12.5 Thrie Beam	9281	6/15/2004
3053	120		25 Type 2	11052	10/7/2004
3056	20		25 Type 2	11376	10/7/2004
3062	4		25 Type 2	11376	10/7/2004
3066	20		25 Type 2	11376	10/7/2004
3072	4		25 Type 2	11376	10/7/2004

## Approved Steel Plate Beam Guard Shipments

<b>Vendor:</b>	<b>Highway Landscapers Inc. Kaukauna, WI</b>
<b>Manufacturer:</b>	<b>R G Steel Corp</b>

Type 2 = regular steel plate panel

Heat Number	Number of Panels	Panel Length in feet	Panel Type	Invoice/order/lading #	Date Tested
516-37091	260	25	Type 2	3463	4/6/2004
516-37091	260	25	Type 2	3462	9/2/2004
534	90	12.5	Type 2	4171	10/4/2004
534	30	25	Type 2	4171	10/4/2004
536	10	25	Type 2	4171	10/4/2004
521	12	12.5	Radius - 20 foot	4171	10/4/2004
527	12	12.5	Radius - 30 foot	4171	10/4/2004
529	12	12.5	Radius - 40 foot	4171	10/4/2004
538-39609	220	25	Type 2	11-15-04	11/18/2004
538-39609	60	12.5	Type 2	11-15-04	11/18/2004

## Approved Steel Plate Beam Guard Shipments

<b>Vendor:</b>	<b>Highway Landscapers Inc. Kaukauna, WI</b>
<b>Manufacturer:</b>	<b>R G Steel Corp</b>

Type 2 = regular steel plate panel

Heat Number	Number of Panels	Panel Length in feet	Panel Type	Invoice/order/lading #	Date Tested
516-37091	260		25 Type 2	3463	4/6/2004
516-37091	260		25 Type 2	3462	9/2/2004
534	90		12.5 Type 2	4171	10/4/2004
534	30		25 Type 2	4171	10/4/2004
536	10		25 Type 2	4171	10/4/2004
521	12		12.5 Radius - 20 foot	4171	10/4/2004
527	12		12.5 Radius - 30 foot	4171	10/4/2004
529	12		12.5 Radius - 40 foot	4171	10/4/2004

## Approved Steel Plate Beam Guard Shipments

**Vendor:** Klem's Lawn Care, Green Bay, WI.

**Manufacturer:** Trinity Industries, Inc.

Type 2 = regular steel plate panel

Heat Number	Number of Panels	Panel Length in feet	Panel Type	Invoice/order/lading #	Date Tested
D2501	11	12.5	Type 2	FL325610	6/25/2004
G1515	12	25	ET 2000 end panel	17702	6/25/2004

## Approved Steel Plate Beam Guard Shipments

**Vendor:** Kuehne Company, Inc., Oak Creek, WI

**Manufacturer:** Gregory Highway Products

Type 2 = regular steel plate panel

Heat Number	Number of Panels	Panel Length in feet	Panel Type	Invoice/order/lading #	Date Tested
3058	10	25	SKT 350 End panel	10974	10/1/2004
3044	5	25	SKT 350 End panel	10974	10/1/2004
3049	60	25	Type 2	10974	10/1/2004
3014	31	12.5	Thrie Beam	36504	11/8/2004
3049	59	12.5	Thrie Beam	36504	11/8/2004
3056	16	25	SKT 350 End panel	36504	11/8/2004
3066	16	25	Type 2	36504	11/8/2004

**Approved Steel Plate Beam Guard Shipments**

<b>Vendor:</b>	<b>Kuehne Company, Inc., Oak Creek, WI</b>
<b>Manufacturer:</b>	<b>R.G. Steel Corp.</b>

Type 2 = regular steel plate panel

Heat Number	Number of Panels	Panel Length in feet	Panel Type	Invoice/order/lading #	Date Tested
525-57414	5	12.5	Type 2 - Anchor panel	3707	6/16/2004
517-53122	20	12.5	SKT Slotted panel	3707	6/16/2004
525-57414	45	12.5	Type 2	3707	6/16/2004
525-57414	120	25	Type 2	3707	6/16/2004
525	30	12.5	Thrie Beam	4151	10/1/2004
534	90	12.5	Type 2	4151	10/1/2004
522	45	12.5	Thrie Beam	4151	10/1/2004
523	30	12.5	Thrie Beam	4151	10/1/2004
536	260	25	Type 2	4239	10/1/2004

Approved Steel Plate Beam Guard Shipments

Vendor: Mattison Contractors, Inc., Knapp, WI  
 Manufacturer: Gregory Highway Products, Inc.

Heat Number	Number of Panels	Panel Length in feet	Panel Type	Invoice/order/deliver to	Date Tested
2659	10	12.5 Radius-5 foot	7454	2/18/2004	
2778	10	12.5 Radius-20 foot	7454	2/18/2004	
2778	10	12.5 Radius-40 foot	7454	2/18/2004	
2778	10	12.5 Radius-50 foot	7454	2/18/2004	
2858	5	25 Type 2	8628	4/27/2004	
2860	20	25 Type 2	8628	4/27/2004	
2871	25	25 Type 2	8628	4/27/2004	
2884	127	12.5 Type 2	8558	4/27/2004	
2782	4	12.5 Type 2	8558	4/27/2004	
2885	30	25 Type 2	8489	4/27/2004	
2851	20	25 Type 2	8489	4/27/2004	
2852	40	25 Type 2	8489	4/27/2004	
2854	190	25 Type 2	8489	4/27/2004	
2945	20	25 SRT 350 end panel	8647	5/6/2004	
2771	5	25 SRT 350 end panel	8647	5/6/2004	
2874	25	25 Type 2	8647	5/6/2004	
2881	25	12.5 Type 2	8975	5/27/2004	
2880	199	12.5 Type 2	8975	5/27/2004	
2886	25	12.5 Radius-10 foot	9000	5/27/2004	
2888	25	12.5 Radius-20 foot	9000	5/27/2004	
2888	30	12.5 Radius-30 foot	9000	5/27/2004	
2888	27	12.5 Radius-40 foot	9000	5/27/2004	
2874	20	12.5 Type 2	9000	5/27/2004	
2875	20	12.5 Radius-40 foot	9000	5/27/2004	
2883	3	12.5 Radius-40 foot	9000	5/27/2004	
2883	25	12.5 Radius-50 foot	9000	5/27/2004	
2883	25	12.5 Radius-60 foot	9000	5/27/2004	
2702	10	12.5 Radius-5 foot	9000	5/27/2004	
2893	140	12.5 Type 2	9000	5/27/2004	
2899	15	25 SRT 350 end panel	8999	5/27/2004	
2899	7	25 SRT 350 end panel	8999	5/27/2004	
2899	5	25 Type 2	8999	5/27/2004	
2789	15	25 SRT 350 end panel	8999	5/27/2004	
2771	5	25 SRT 350 end panel	8647	6/2/2004	
2874	25	25 Type 2	8647	6/2/2004	
2946	20	25 SRT 350 end panel	8647	6/2/2004	
2899	40	12.5 Type 2	9266	6/16/2004	
2862	40	12.5 Type 2	9266	6/16/2004	
2528	60	12.5 Type 2	9266	6/16/2004	
2847	40	12.5 Type 2	9266	6/16/2004	
2913	40	25 Type 2	9266	6/16/2004	
2888	40	25 Type 2	9266	6/16/2004	
2899	20	25 Type 2	9266	6/16/2004	
2913	35	25 Type 2	9265	6/16/2004	
2881	21	25 Type 2	9265	6/16/2004	
2884	14	25 Type 2	9265	6/16/2004	
2913	166	25 Type 2	9265	6/16/2004	
2901	94	25 Type 2	9255	6/16/2004	
2899	5	25 SRT 350 end panel	9267	6/16/2004	
2913	8	25 Type 2	9267	6/16/2004	
2880	20	25 SRT 350 end panel	9267	6/16/2004	
2847	40	12.5 Type 2	9266	4/27/2004	
2923	150	25 Type 2	9406	6/16/2004	
2924	100	25 Type 2	9406	6/16/2004	
2928	10	25 Type 2	9406	6/16/2004	
2909	20	25 SRT 350 end panel	9380	6/16/2004	
2909	5	25 SRT 350 end panel	9380	6/16/2004	
2898	20	25 Type 2	9380	6/16/2004	
2896	5	25 Type 2	9380	6/16/2004	
2790	5	25 SRT 350 end panel	9576	6/30/2004	
2847	20	25 SRT 350 end panel	9576	6/30/2004	
2937	5	25 Type 2	9576	6/30/2004	
2939	20	25 Type 2	9576	6/30/2004	
2935	41	25 Type 2	9533	6/30/2004	
2938	219	25 Type 2	9533	6/30/2004	
2900	1	25 SRT 350 end panel	9916	7/23/2004	
2909	20	25 SRT 350 end panel	9916	7/23/2004	
2923	2	25 SRT 350 end panel	9916	7/23/2004	
2867	20	25 Type 2	9916	7/23/2004	
2861	3	25 Type 2	9916	7/23/2004	
2883	20	25 Type 2	10044	8/3/2004	
2873	80	25 Type 2	10044	8/3/2004	
2959	10	12.5 Type 2	10044	8/3/2004	
2887	90	12.5 Thin Beam	10044	8/3/2004	
2976	10	25 Type 2	10057	8/3/2004	
2977	5	25 Type 2	10057	8/3/2004	
2975	160	25 Type 2	10057	8/3/2004	
2974	160	12.5 Type 2	10057	8/3/2004	
2969	4	25 SRT 350 end panel	10060	8/3/2004	
2973	20	25 Type 2	10060	8/3/2004	
2977	3	25 Type 2	10060	8/3/2004	
2958	21	25 SRT 350 end panel	10060	8/3/2004	
2979	20	25 Type 2	10088	8/4/2004	
2964	57	25 Type 2	10088	8/4/2004	
2993	150	25 Type 2	10122	8/6/2004	
2847	19	12.5 Radius-40 foot	10122	8/6/2004	
2905	17	12.5 Radius-50 foot	10122	8/6/2004	
2973	40	25 Type 2	10122	8/6/2004	
2984	40	25 Type 2	10122	8/6/2004	
2976	80	25 Type 2	10316	8/17/2004	
2973	20	25 SRT 350 end panel	10316	8/17/2004	
2888	5	25 SRT 350 end panel	10316	8/17/2004	
2899	20	25 Type 2	10316	8/17/2004	
2990	5	25 Type 2	10316	8/17/2004	
2898	20	25 SRT 350 end panel	10318	8/17/2004	
2973	5	25 SRT 350 end panel	10318	8/17/2004	
2976	25	25 Type 2	10318	8/17/2004	
2887	111	12.5 Type 2	10318	8/17/2004	
2989	14	25 Type 2	10318	8/17/2004	
2969	3	25 Type 2	10318	8/17/2004	
2976	24	25 Type 2	10318	8/17/2004	
2991	9	25 Type 2	10318	8/17/2004	
3013	20	25 SRT 350 end panel	10417	8/25/2004	
2973	5	25 SRT 350 end panel	10417	8/25/2004	
3005	20	25 Type 2	10417	8/25/2004	
3013	5	25 Type 2	10417	8/25/2004	
3062	180	25 Type 2	11012	10/4/2004	
3068	250	25 Type 2	11062	10/12/2004	
3057	5	25 Type 2	11179	10/19/2004	
3067	25	25 Type 2	11179	10/19/2004	
3068	200	25 Type 2	11091	10/19/2004	
3072	10	12.5 Radius-20 foot	11191	10/19/2004	
3066	40	12.5 Radius-20 foot	11191	10/19/2004	
3068	113	25 Type 2	11191	10/19/2004	
3057	10	25 Type 2	11191	10/19/2004	
3028	25	12.5 Thin Beam	11069	11/16/2004	
3028	10	12.5 Thin Beam	11069	11/16/2004	
3010	25	12.5 Thin Beam	11069	11/16/2004	
3068	20	25 SRT 350 end panel	8647	11/16/2004	
3068	20	25 SRT 350 end panel	8647	11/16/2004	
3033	5	25 Type 2	8647	11/16/2004	
3047	5	25 Type 2	11114	11/16/2004	
3062	5	25 Type 2	11114	11/16/2004	
3066	15	25 Type 2	11114	11/16/2004	
3068	25	25 SRT 350 end panel	11114	11/16/2004	

## Approved Steel Plate Beam Guard Shipments

**Vendor:** Mattison Contractors, Inc. (formerly Timberline) , Knapp, WI

**Manufacturer:** R.G. Steel Corporation

Type 2 = regular steel plate panel

Heat Number	Number of Panels	Panel Length in feet	Panel Type	Invoice/order/lading #	Date Tested
520	135	25	Type 2	3580	4/15/2004
521	65	25	Type 2	3580	4/15/2004
522	105	12.5	Thrie Beam	3640	5/20/2004
533	320	12.5	Type 2	4136	9/30/2004
522	60	12.5	Thrie Beam	4247	10/13/2004

## Approved Steel Plate Beam Guard Shipments

**Vendor:** Mattison Contractors, Inc. (formerly Timberline) , Knapp, WI

**Manufacturer:** Trinity Industries

Type 2 = regular steel plate panel

Heat Number	Number of Panels	Panel Length in feet	Panel Type	Invoice/order/lading #	Date Tested
-------------	------------------	----------------------	------------	------------------------	-------------

## Approved Steel Plate Beam Guard Shipments

**Vendor:** RDLW Landscaping ( formerly Straight Arrow), Cottage Grove, WI

**Manufacturer:** R.G. Steel Corporation

Type 2 = regular steel plate panel

Heat Number	Number of Panels	Panel Length in feet	Panel Type	Invoice/order/lading #	Date Tested
525	180	25	Type 2	3864	6/28/2004
526	40	12.5	Type 2	3864	6/28/2004
525	16	12.5	Type 2	4131	10/4/2004
534	60	12.5	Type 2	4131	10/4/2004
536	120	25	Type 2	4131	10/4/2004

## Approved Steel Plate Beam Guard Shipments

**Vendor:** Timme, Inc., Elk Mound, WI

**Manufacturer:** Gregory Highway Products, Inc.

Type 2 = regular steel plate panel

Heat Number	Number of Panels	Panel Length in feet	Panel Type	Invoice/order/lading #	Date Tested
2862	140		25 Type 2	8587	4/27/2004
2861	100		25 Type 2	8587	4/27/2004
2771	5		25 SKT 350 end panel	8642	5/4/2004
2860	20		25 SKT 350 end panel	8642	5/4/2004
2771	25		25 SKT 350 end panel	8842	5/4/2004
2874	25		25 SKT 350 end panel	8842	5/4/2004
2881	20		25 SKT 350 end panel	9368	6/24/2004
2898	40		25 Type 2	9368	6/24/2004
2919	20		25 Type 2	9368	6/24/2004
2900	20		25 Type 2	9368	6/24/2004
2918	20		25 SKT 350 end panel	9778	7/13/2004
2883	3		25 SKT 350 end panel	9778	7/13/2004
2908	2		25 SKT 350 end panel	9778	7/13/2004
2965	25		25 Type 2	9778	7/13/2004
2964	70		25 Type 2	9798	7/22/2004
2963	40		25 Type 2	9798	7/22/2004
2977	75		25 Type 2	10027	8/3/2004
3026	120		25 Type 2	10603	9/10/2004
3015	140		25 Type 2	10603	9/10/2004
3009	20		25 SKT 350 end panel	10610	9/10/2004
3005	5		25 SKT 350 end panel	10610	9/10/2004
3020	20		25 Type 2	10610	9/10/2004
3026	5		25 Type 2	10610	9/10/2004
3005	25		25 SKT 350 end panel	10695	9/16/2004
3019	25		25 Type 2	10695	9/16/2004
3092	12		12.5 Radius- 40 foot	11496	12/1/2004
3054	12		12.5 Radius- 25 foot	11496	12/1/2004

## Approved Steel Plate Beam Guard Shipments

**Vendor:** Timme, Inc, Endeavor, WI

**Manufacturer:** Trinity Industries

Type 2 = regular steel plate panel

Heat Number	Number of Panels	Panel Length in feet	Panel Type	Invoice/order/lading #	Date Tested
60354	25	12.5	Type 2	20441	9/30/2004

## Approved Steel Plate Beam Guard Shipments

**Vendor:** Timme, Inc., Elk Mound, WI

**Manufacturer:** Gregory Highway Products, Inc.

Type 2 = regular steel plate panel

Heat Number	Number of Panels	Panel Length in feet	Panel Type	Invoice/order/lading #	Date Tested
-------------	------------------	----------------------	------------	------------------------	-------------

Approved Steel Plate Beam Guard Shipments

Vendor:	Timme, Inc, Endeavor, WI
Manufacturer:	Gregory Highway Products, Inc.

Heat Number	Number of Panels	Panel Length in feet	Panel Type	Invoice/order/riding #	Date Tested
2789	105	12.5	Thrie beam	8535	4/22/2004
2798	45	12.5	Thrie beam	8535	4/22/2004
2715	30	12.5	Thrie beam	8535	4/22/2004
2862	40	12.5	Type 2	8535	4/22/2004
2860	40	12.5	Type 2	8535	4/22/2004
2853	20	25	Type 2	8591	4/22/2004
2868	100	25	Type 2	8591	4/22/2004
2862	140	25	Type 2	8591	4/22/2004
2853	40	25	Type 2	8595	4/22/2004
2832	1	25	Type 2	8595	4/22/2004
2771	25	25	SKT 350 end panel	8595	4/22/2004
2839	2	25	Type 2	8595	4/22/2004
2854	1	25	Type 2	8595	4/22/2004
2927	36	25	SKT 350 end panel	9578	6/30/2004
2938	18	25	Type 2	9578	6/30/2004
2937	2	25	Type 2	9578	6/30/2004
2936	2	25	Type 2	9578	6/30/2004
2900	40	25	SKT 350 end panel	9777	7/14/2004
2938	67	25	Type 2	9777	7/14/2004
2958	3	25	Type 2	9777	7/14/2004
2959	80	12.5	Type 2	9813	7/16/2004
2961	140	12.5	Type 2	9813	7/16/2004
2940	10	12.5	Radius- 40 foot	9813	7/16/2004
2961	10	12.5	Radius- 40 foot	9813	7/16/2004
2897	25	12.5	Thrie beam	9813	7/16/2004
2880	25	12.5	Thrie beam	9813	7/16/2004
2887	100	12.5	Thrie beam	9813	7/16/2004
2923	4	25	Type 2	9844	7/16/2004
2964	96	25	Type 2	9844	7/16/2004
2956	80	25	Type 2	9844	7/16/2004
2959	70	25	Type 2	9844	7/16/2004
2960	25	25	Type 2	9880	7/21/2004
2900	17	25	SKT 350 end panel	9880	7/21/2004
2923	8	25	SKT 350 end panel	9880	7/21/2004
2958	5	25	SKT 350 end panel	10079	8/4/2004
2967	20	25	SKT 350 end panel	10079	8/4/2004
2987	25	25	Type 2	10079	8/4/2004
2989	240	25	Type 2	10273	8/17/2004
2991	20	25	Type 2	10273	8/17/2004
2996	4	25	Type 2	10298	8/17/2004
2989	19	25	Type 2	10298	8/17/2004
2923	1	25	SKT 350 end panel	10298	8/17/2004
2973	3	25	SKT 350 end panel	10298	8/17/2004
2989	20	25	SKT 350 end panel	10298	8/17/2004
2984	5	25	Type 2	10508	8/31/2004
3018	20	25	Type 2	10508	8/31/2004
2984	20	25	SKT 350 end panel	10508	8/31/2004
3005	5	25	SKT 350 end panel	10508	8/31/2004
3023	5	25	Type 2	10508	9/7/2004
3026	20	25	Type 2	10508	9/7/2004
3005	20	25	SKT 350 end panel	10508	9/7/2004
2984	3	25	SKT 350 end panel	10508	9/7/2004
3009	2	25	SKT 350 end panel	10508	9/7/2004
3029	25	25	Type 2	10732	9/16/2004
2958	2	25	SKT 350 end panel	10732	9/16/2004
3005	11	25	SKT 350 end panel	10732	9/16/2004
2604	12	25	SKT 350 end panel	10732	9/16/2004
2974	20	12.5	SKT 350 end panel	10805	9/7/2004
3026	65	12.5	Type 2	10805	9/7/2004
3025	15	12.5	Type 2	10805	9/7/2004
2996	1	12.5	Thrie beam	10805	9/7/2004
2994	46	12.5	Thrie beam	10805	9/7/2004
2997	14	12.5	Thrie beam	10805	9/7/2004
3011	42	12.5	Thrie beam	10805	9/7/2004
3039	20	25	Type 2	10960	10/4/2004
3054	240	25	Type 2	10960	10/4/2004
3062	25	25	Type 2	11014	10/4/2004
3049	25	25	SKT 350 end panel	11014	10/4/2004
3031	57	12.5	Thrie beam	10932	10/4/2004
3001	63	12.5	Thrie beam	10932	10/4/2004
3008	37	12.5	Thrie beam	10932	10/4/2004
3010	50	12.5	Thrie beam	10932	10/4/2004
3030	50	12.5	Thrie beam	10932	10/4/2004
3049	25	12.5	Thrie beam	10932	10/4/2004
2897	7	12.5	Thrie beam	10805	9/7/2004
3092	20	12.5	Radius- 30 foot	11496	11/11/2004
3092	40	12.5	Radius- 50 foot	11496	11/11/2004
3092	8	12.5	Radius- 25 foot	11496	11/11/2004
3051	28	12.5	Radius- 40 foot	11496	11/11/2004
3044	25	25	SKT 350 end panel	10942	11/24/2004

## Approved Steel Plate Beam Guard Shipments

**Vendor:** Wausau Concrete & Building Supply, Inc., Wausau , WI

**Manufacturer:** Trinity Industries

Type 2 = regular steel plate panel

Heat Number	Number of Panels	Panel Length in feet	Panel Type	Invoice/order/lading #	Date Tested
55233	132	12.5	Type 2	12673	4/7/2004
95360	100	12.5	Type 2	1034815	7/30/2004
56717	6	12.5	Type 2	13882	8/24/2004
59207	100	12.5	Type 2	15383	9/9/2004
59985	18	12.5	Type 2	15383	9/9/2004
B40912	30	12.5	Thrie Beam	15384	9/9/2004
58444	6	12.5	ET 2000 End panel	99999	9/9/2004
54330	3	12.5	ET 2000 End panel	99999	9/9/2004
4147006	2	25	Type 2	8888	9/9/2004
4110498	4	25	ET 2000 End panel	8888	9/9/2004
59201	5	25	Type 2	8888	9/9/2004
42718	1	25	Type 2	8888	9/9/2004
60354	10	12.5	ET 2000 End panel	16176	10/20/2004
86415	30	12.5	Type 2	16176	10/20/2004

**Approved Steel Plate Beam Guard Shipments**

**Vendor:** West Land Restoration Co, Waunkee,WI  
**Manufacturer:** Trinity Industries

Type 2 = regular steel plate panel					
Heat Number	Number of Panels	Panel Length in feet	Panel Type	Invoice/order/lading #	Date Tested
53477	18		25 Type 2	17107	5/3/2004
54331	100		25 Type 2	17106	5/3/2004
54331	5	12.5	Radius- 5 foot	17107	5/3/2004
53477	2		12.5 Type 2	17109	5/3/2004
4118010	14		12.5 Thrie Beam	17109	5/3/2004
53477	4		12.5 Type 2	17110	5/3/2004
53477	1		12.5 Type 2	17111	5/3/2004
54331	24		25 Type 2	17111	5/3/2004
53482	22		25 Type 2	17314	5/1/2004
53482	10		25 Type 2	17316	5/1/2004
53482	13		25 Type 2	17332	5/1/2004
53482	28		25 Type 2	17333	5/1/2004
53482	22		25 Type 2	17334	5/1/2004
53482	33		25 Type 2	17335	5/1/2004
54328	1	12.5	Type 2	17334	5/1/2004
54331	32		25 Type 2	17333	5/1/2004
54329	70		25 Type 2	17423	5/1/2004
54329	30		25 Type 2	17373	5/1/2004
56714	80		25 Type 2	17373	5/1/2004
56714	40		25 Type 2	17371	5/1/2004
G2006	27	12.5	Thrie Beam	17371	5/1/2004
G2006	12	12.5	Thrie Beam	17372	5/1/2004
G2006	6	12.5	Thrie Beam	17334	5/1/2004
A40632	60		25 Type 2	17726	6/7/2004
G2052	60		25 Type 2	17726	6/7/2004
G1515	52		25 Type 2	17726	6/7/2004
4126084	7	12.5	Thrie Beam	17726	6/7/2004
G2052	8		25 Type 2	17976	6/14/2004
G2052	3		25 Type 2	17977	6/14/2004
54329	3		25 Type 2	17977	6/14/2004
G2052	4		25 Type 2	17978	6/14/2004
54329	4		25 Type 2	17978	6/14/2004
G2052	4		25 Type 2	17979	6/14/2004
54329	4		25 Type 2	17979	6/14/2004
H1170	12	12.5	Thrie Beam	17980	6/14/2004
G2052	4		25 Type 2	17981	6/14/2004
H1170	24	12.5	Thrie Beam	17981	6/14/2004
G2052	3		25 Type 2	17982	6/14/2004
54329	2		25 Type 2	17982	6/14/2004
57996	1		25 Type 2	17982	6/14/2004
M86416	8		25 Type 2	19809	8/30/2004
M86416	24		25 Type 2	19810	8/30/2004
M86416	4		25 Type 2	19811	8/30/2004
M86416	6		25 Type 2	19812	8/30/2004
M86416	12		25 Type 2	19813	8/30/2004
59980	12	12.5	Thrie Beam	19808	8/30/2004
59980	36	12.5	Thrie Beam	19811	8/30/2004
59980	8	12.5	Thrie Beam	19813	8/30/2004
59264	2	12.5	Type 2	19814	8/30/2004
M86416	2	12.5	Type 2	19814	8/30/2004
59985	12		25 Type 2	19810	8/30/2004
59985	4		25 Type 2	19811	8/30/2004
59985	3		25 Type 2	19812	8/30/2004
59985	3		25 Type 2	19812	8/30/2004
M86414	8		25 Type 2	20605	10/1/2004
M86414	10		25 Type 2	20606	10/1/2004
M86414	31		25 Type 2	20607	10/1/2004
60354	1	12.5	Type 2	20607	10/1/2004
60346	4	12.5	Thrie Beam	20608	10/1/2004
60345	8	12.5	Thrie Beam	20608	10/1/2004
60346	8	12.5	Thrie Beam	20609	10/1/2004
60345	16	12.5	Thrie Beam	20609	10/1/2004
M86414	16		25 Type 2	20610	10/1/2004
61234	102		25 Type 2	21429	11/1/2004
60991	60		25 Type 2	21429	11/1/2004
61234	12		12.5 Type 2	21429	11/1/2004
60990	5	12.5	Radius- 40 foot	21429	11/1/2004
61401	18		12.5 Thrie Beam	21429	12/21/2004
45295	1		12.5 Type 2	21429	12/21/2004
59624	1		12.5 Type 2	21429	12/21/2004
M86416	1	12.5	Radius- 20 foot	21429	12/21/2004
61403	36	12.5	Thrie Beam	21429	12/21/2004