



# STEEL PLATE BEAM GUARD



[Back to Approved Lists](#)

## YEAR 2007

### WisDOT Approved Shipments Prequalified Vendor Inventory Lists

**ONLY WisDOT inspected and prequalified inventories of Steel Plate Beam Guard products are allowed for use on WisDOT projects.**

To qualify a shipment must be inspected and tested at the vendor distribution yard. Samples from each shipment are tested for compliance to galvanizing coating thickness requirements. All heat numbers, coating lots, sizes, and types of rail in each shipment are tested. Certified Reports of Test and Analysis are provided for each shipment. The WisDOT verifies the documents, confirms and documents the heat number, type, size and number of rails for each heat and coating lot in the shipment. The certification documents for each shipment are identified by a unique invoice or bill of lading number.



**Contact:**

|   |  |
|---|--|
| <p><b>Kenneth Nwankwo, Quality Operations Engineer</b><br/> <b>WisDOT</b><br/> <b>Division of Transportation Systems Development</b><br/> <b>Bureau of Technical Services</b><br/> <b>Truax Center</b><br/> <b>3502 Kinsman Blvd</b><br/> <b>Madison, WI 53704</b><br/> <b>Phone: 608-246-5388</b><br/> <b>e-mail: <a href="mailto:kenneth.nwankwo@dot.state.wi.us">kenneth.nwankwo@dot.state.wi.us</a></b></p> | <p><b>Joseph V. White</b><br/> <b>WisDOT</b><br/> <b>Division of Transportation Systems Development</b><br/> <b>Bureau of Technical Services</b><br/> <b>Truax Center</b><br/> <b>3502 Kinsman Blvd</b><br/> <b>Madison, WI 53704</b><br/> <b>Phone: 608-246-5388</b><br/> <b>e-mail: <a href="mailto:joseph.white@dot.state.wi.us">joseph.white@dot.state.wi.us</a></b></p> |
|---|--|

**Approved Steel Plate Beam Guard Shipments**

|                      |                                       |
|----------------------|---------------------------------------|
| <b>Vendor:</b>       | <b>Arbor Green, Inc., Portage, WI</b> |
| <b>Manufacturer:</b> | <b>Gregory Highway Products, Inc.</b> |

Type 2 = regular steel plate pane

| Heat Number | Number of Panels | Panel Length in feet | Panel Type        | Invoice/order/lading # | Date Tested |
|-------------|------------------|----------------------|-------------------|------------------------|-------------|
| 3931        | 90               | 12.5                 | Thrie Beam        | 24580                  | 4/2/2007    |
| 3989        | 80               | 25                   | Type 2            | 24580                  | 4/2/2007    |
| 3957        | 10               | 25                   | SKT End Panel     | 24580                  | 4/2/2007    |
| 3966        | 10               | 25                   | SKT End Panel     | 24580                  | 4/2/2007    |
| 3883        | 2                | 25                   | Type 2            | 24580                  | 4/2/2007    |
| 3896        | 10               | 25                   | Type 2            | 24580                  | 4/2/2007    |
| 3957        | 2                | 25                   | Type 2            | 24580                  | 4/2/2007    |
| 3762        | 2                | 25                   | Type 2            | 24580                  | 4/2/2007    |
| 3877        | 2                | 25                   | Type 2            | 24580                  | 4/2/2007    |
| 3897        | 2                | 25                   | Type 2            | 24580                  | 4/2/2007    |
| 3983        | 5                | 25                   | SKT End Panel     | 25099                  | 4/27/2007   |
| 3952        | 20               | 25                   | Type 2            | 25099                  | 4/27/2007   |
| 3899        | 25               | 25                   | Type 2            | 25099                  | 4/27/2007   |
| 4050        | 40               | 12.5                 | Type 2            | 25794                  | 5/22/2007   |
| 4047        | 17               | 12.5                 | Type 2            | 25794                  | 5/22/2007   |
| 4039        | 180              | 25                   | Type 2            | 25794                  | 5/22/2007   |
| 4050        | 10               | 25                   | Type 2            | 25794                  | 5/22/2007   |
| 4057        | 13               | 12.5                 | Type 2            | 25794                  | 5/22/2007   |
| 4081        | 10               | 12.5                 | End panel         | 26413                  | 6/18/2007   |
| 4084        | 12               | 25                   | SKT 350 End Panel | 26413                  | 6/18/2007   |
| 4095        | 100              | 25                   | Type 2            | 26413                  | 6/18/2007   |
| 4093        | 12               | 25                   | Type 2            | 26413                  | 6/18/2007   |
| 4107        | 23               | 25                   | Type 2            | 26717                  | 6/29/2007   |
| 4081        | 12               | 12.5                 | Type 2            | 26717                  | 6/29/2007   |
| 4120        | 23               | 25                   | SKT End Panel     | 26717                  | 6/29/2007   |
| 4081        | 10               | 12.5                 | Type 2            | 26788                  | 7/5/2007    |
| 4125        | 10               | 12.5                 | Type 2            | 26788                  | 7/5/2007    |
| 4116        | 20               | 12.5                 | Radius- 10 foot   | 26788                  | 7/5/2007    |
| 4116        | 40               | 12.5                 | Radius- 20 foot   | 26788                  | 7/5/2007    |
| 4116        | 40               | 12.5                 | Radius - 30 foot  | 26788                  | 7/5/2007    |
| 4116        | 20               | 12.5                 | Radius- 10 foot   | 26788                  | 7/5/2007    |
| 4116        | 16               | 12.5                 | Radius- 5 foot    | 26788                  | 7/5/2007    |
| 4116        | 20               | 12.5                 | Radius- 50 foot   | 26788                  | 7/5/2007    |
| 4112        | 25               | 12.5                 | Thrie Beam        | 26788                  | 7/5/2007    |
| 4123        | 11               | 25                   | End panel         | 26788                  | 7/5/2007    |
| 4125        | 11               | 25                   | Type 2            | 26788                  | 7/5/2007    |
| 4131        | 25               | 25                   | End panel         | 27106                  | 7/19/2007   |
| 4131        | 25               | 25                   | Type 2            | 27106                  | 7/19/2007   |
| 4182        | 2                | 25                   | Type 2            | 28412                  | 9/20/2007   |
| 4156        | 1                | 25                   | Type 2            | 28412                  | 9/20/2007   |
| 4185        | 22               | 25                   | Type 2            | 28412                  | 9/20/2007   |
| 4150        | 5                | 25                   | End panel         | 28412                  | 9/20/2007   |
| 4182        | 20               | 25                   | End panel         | 28412                  | 9/20/2007   |
| 4205        | 100              | 25                   | Type 2            | 28611                  | 10/2/2007   |
| 4205        | 20               | 25                   | Type 2            | 28611                  | 10/2/2007   |
| 4209        | 100              | 12.5                 | Thrie Beam        | 28611                  | 10/2/2007   |
| 4209        | 20               | 12.5                 | Thrie Beam        | 28611                  | 10/2/2007   |
| 4205        | 25               | 25                   | End panel         | 28991                  | 10/15/2007  |
| 4205        | 25               | 25                   | Type 2            | 28991                  | 10/15/2007  |

## Approved Steel Plate Beam Guard Shipments

**Vendor:** Arbor Green, Inc., Portage, WI

**Manufacturer:** R G Steel Corp

Type 2 = regular steel plate panel

| Heat Number | Number of Panels | Panel Length in feet | Panel Type | Invoice/order/lading # | Date Tested |
|-------------|------------------|----------------------|------------|------------------------|-------------|
| 708         | 260              | 25                   | Type 2     | 7411                   | 6/29/2007   |
| 712         | 100              | 25                   | Type 2     | 7912                   | 11/14/2007  |
| 712         | 82               | 25                   | Type 2     | 7912                   | 11/14/2007  |
| 721         | 78               | 25                   | Type 2     | 7912                   | 11/14/2007  |

## Approved Steel Plate Beam Guard Shipments

**Vendor:** County Materials Corp @ Wausau Yard  
( formerly Wausau Concrete & Building Supply, Inc.)  
**Manufacturer:** Trinity Industries

Type 2 = regular steel plate panel

| Heat Number | Number of Panels | Panel Length in feet | Panel Type | Invoice/order/lading # | Date Tested |
|-------------|------------------|----------------------|------------|------------------------|-------------|
|-------------|------------------|----------------------|------------|------------------------|-------------|

## Approved Steel Plate Beam Guard Shipments

**Vendor:** County Materials Corp @ Wausau Yard  
 ( formerly Wausau Concrete & Building Supply, Inc.)

**Manufacturer:** Trinity Industries

Type 2 = regular steel plate panel

| Heat Number | Number of Panels | Panel Length in feet | Panel Type             | Invoice/order/lading # | Date Tested |
|-------------|------------------|----------------------|------------------------|------------------------|-------------|
| 570779      | 12               | 12.5                 | Slotted Rail end panel | 34930                  | 4/9/2007    |
| 570779      | 50               | 1.5                  | Type 2                 | 34930                  | 4/9/2007    |
| 84969       | 1                | 12.5                 | Radius - 5 foot        | 34930                  | 4/9/2007    |
| 100927      | 2                | 12.5                 | Radius - 20 foot       | 28657                  | 6/19/2007   |
| 100928      | 6                | 25                   | ET 2000 end panel      | 28656                  | 6/19/2007   |
| 101650      | 6                | 25                   | Type 2                 | 28656                  | 6/19/2007   |
| 101294      | 16               | 12.5                 | Thrie Beam             | 36788                  | 7/25/2007   |
| 103493      | 20               | 12.5                 | ET 2000 end panel      | 36787                  | 7/25/2007   |
| 103493      | 24               | 12.5                 | Type 2                 | 36787                  | 7/25/2007   |
| 0135577     | 100              | 12.5                 | Type 2                 | 37409                  | 8/24/2007   |
| 103500      | 12               | 12.5                 | Type 2                 | 37410                  | 8/24/2007   |
| 672100      | 1                | 12.5                 | Type 2, special        | 37411                  | 8/24/2007   |
| 0174922     | 7                | 12.5                 | ET 2000 end panel      | 37410                  | 8/24/2007   |
| 101295      | 4                | 12.5                 | Thrie Beam             | 37409                  | 8/24/2007   |

## Approved Steel Plate Beam Guard Shipments

|                      |  |
|----------------------|--|
| <b>Vendor:</b>       | Highway Landscapers Inc. Jefferson, WI |
| <b>Manufacturer:</b> | R G Steel Corp                         |

Type 2 = regular steel plate panel

| Heat Number | Number of Panels | Panel Length in feet | Panel Type                           | Invoice/order/lading # | Date Tested |
|-------------|------------------|----------------------|--------------------------------------|------------------------|-------------|
| 708         | 260              |                      | 25 Type 2                            | 7519                   | 7/31/2007   |
| 701         | 48               |                      | 12.5 Flat slotted #3 Bullnose radius | 7571                   | 8/23/2007   |
| 701         | 24               |                      | 12.5 Radius 5-foot- bullnose         | 7571                   | 8/23/2007   |
| 701         | 96               |                      | 12.5 Thrie Beam                      | 39758                  | 9/12/2007   |
| 701         | 48               |                      | 12.5 Radius 34 foot                  | 39758                  | 9/12/2007   |
| 4182        | 25               |                      | 25 End panel                         | 28418                  | 9/20/2007   |
| 4182        | 25               |                      | 25 Type 2                            | 28418                  | 9/20/2007   |
| 708         | 25               |                      | 25 Type 2                            | 7520                   | 9/20/2007   |
| 708         | 25               |                      | 25 Type 2                            | 7520                   | 9/20/2007   |
| 708         | 25               |                      | 25 Type 2                            | 7520                   | 9/20/2007   |

Approved Steel Plate Beam Guard Shipments

|               |                                       |
|---------------|---------------------------------------|
| Vendor:       | Highway Landscapers Inc. Kaukauna, WI |
| Manufacturer: | Gregory Highway Products, Inc.        |

Type 2 = regular steel plate pane

| Heat Number | Number of Panels | Panel Length in feet | Panel Type        | Invoice/order/lotting # | Date Tested |
|-------------|------------------|----------------------|-------------------|-------------------------|-------------|
| 3983        | 160              | 25                   | Type 2            | 25208                   | 5/7/2007    |
| 4027        | 60               | 25                   | Type 2            | 25208                   | 5/7/2007    |
| 3952        | 20               | 25                   | Type 2            | 25208                   | 5/7/2007    |
| 3989        | 20               | 25                   | Type 2            | 25208                   | 5/7/2007    |
| 3899        | 25               | 25                   | SKT 350 End Panel | 25235                   | 5/7/2007    |
| 2989        | 25               | 25                   | Type 2            | 23235                   | 5/7/2007    |
| 4033        | 260              | 25                   | Type 2            | 25483                   | 5/14/2007   |
| 4048        | 260              | 25                   | Type 2            | 25554                   | 5/14/2007   |
| 4048        | 25               | 25                   | SKT 350 End Panel | 25550                   | 5/14/2007   |
| 4048        | 25               | 25                   | Type 2            | 25550                   | 5/14/2007   |
| 4048        | 120              | 12.5                 | Type 2            | 25562                   | 5/14/2007   |
| 3894        | 40               | 12.5                 | Type 2            | 25562                   | 5/14/2007   |
| 4048        | 40               | 25                   | Type 2            | 25562                   | 5/14/2007   |
| 4054        | 120              | 25                   | Type 2            | 25562                   | 5/14/2007   |
| 4021        | 8                | 12.5                 | SKT 350 End Panel | 25592                   | 5/16/2007   |
| 4024        | 12               | 12.5                 | End panel         | 25592                   | 5/16/2007   |
| 4058        | 20               | 25                   | Type 2            | 25592                   | 5/16/2007   |
| 4024        | 12               | 12.5                 | Type 2            | 25592                   | 5/16/2007   |
| 4058        | 22               | 12.5                 | Type 2            | 25592                   | 5/16/2007   |
| 4058        | 11               | 12.5                 | Type 2            | 25592                   | 5/16/2007   |
| 4048        | 18               | 25                   | SKT 350 End Panel | 25854                   | 5/16/2007   |
| 4065        | 25               | 25                   | Type 2            | 25854                   | 5/16/2007   |
| 3995        | 2                | 12.5                 | End panel         | 25592                   | 5/16/2007   |
| 4058        | 30               | 12.5                 | Type 2            | 25592                   | 5/16/2007   |
| 3672        | 6                | 12.5                 | Type 2            | 25592                   | 5/16/2007   |
| 3785        | 6                | 12.5                 | Thrie Beam        | 25592                   | 5/16/2007   |
| 3859        | 10               | 12.5                 | Radius- 30 foot   | 25592                   | 5/16/2007   |
| 3859        | 4                | 12.5                 | Radius- 40 foot   | 25592                   | 5/16/2007   |
| 4054        | 5                | 12.5                 | Radius- 5 foot    | 25592                   | 5/16/2007   |
| 4058        | 5                | 12.5                 | Radius- 5 foot    | 25592                   | 5/16/2007   |
| 4081        | 25               | 12.5                 | Type 2            | 26115                   | 5/16/2007   |
| 3785        | 25               | 12.5                 | Thrie Beam        | 26115                   | 5/16/2007   |
| 3781        | 25               | 12.5                 | Thrie Beam        | 26115                   | 5/16/2007   |
| 3901        | 25               | 12.5                 | Thrie Beam        | 26115                   | 5/16/2007   |
| 4091        | 120              | 25                   | Type 2            | 26115                   | 5/16/2007   |
| 4081        | 25               | 12.5                 | End panel         | 26115                   | 6/11/2007   |
| 3785        | 25               | 12.5                 | Thrie Beam        | 26115                   | 6/11/2007   |
| 3806        | 80               | 12.5                 | Thrie Beam        | 26612                   | 6/26/2007   |
| 4092        | 1                | 25                   | SKT 350 End Panel | 26659                   | 6/26/2007   |
| 4084        | 5                | 25                   | SKT 350 End Panel | 26659                   | 6/26/2007   |
| 4115        | 4                | 25                   | SKT 350 End Panel | 26659                   | 6/26/2007   |
| 4115        | 1                | 25                   | Type 2            | 26659                   | 6/26/2007   |
| 4087        | 4                | 25                   | Type 2            | 26659                   | 6/26/2007   |
| 4120        | 20               | 25                   | Type 2            | 26659                   | 6/26/2007   |
| 3792        | 10               | 12.5                 | Thrie Beam        | 26612                   | 6/26/2007   |
| 4115        | 40               | 12.5                 | Type 2            | 26612                   | 6/26/2007   |
| 4107        | 120              | 25                   | Type 2            | 26612                   | 6/26/2007   |
| 4084        | 5                | 25                   | SKT 350 End Panel | 26634                   | 6/26/2007   |
| 4115        | 25               | 25                   | Type 2            | 26634                   | 6/26/2007   |
| 4115        | 25               | 25                   | SKT 350 End Panel | 26811                   | 7/13/2007   |
| 4123        | 25               | 25                   | Type 2            | 26811                   | 7/13/2007   |
| 4120        | 20               | 25                   | Type 2            | 26814                   | 7/13/2007   |
| 4123        | 240              | 25                   | Type 2            | 26814                   | 7/13/2007   |
| 4120        | 140              | 25                   | Type 2            | 26925                   | 7/18/2007   |
| 4128        | 110              | 25                   | Type 2            | 26925                   | 7/18/2007   |
| 4123        | 25               | 25                   | Type 2            | 26942                   | 7/18/2007   |
| 4127        | 25               | 25                   | SKT 350 End Panel | 26942                   | 7/18/2007   |
| 4131        | 20               | 25                   | SKT 350 End Panel | 27094                   | 7/18/2007   |
| 4115        | 5                | 25                   | SKT 350 End Panel | 27094                   | 7/18/2007   |
| 4127        | 5                | 25                   | Type 2            | 27094                   | 7/18/2007   |
| 4131        | 20               | 25                   | Type 2            | 27094                   | 7/18/2007   |
| 4125        | 220              | 25                   | Type 2            | 27112                   | 7/18/2007   |
| 4131        | 40               | 25                   | Type 2            | 27112                   | 7/18/2007   |
| 4093        | 5                | 25                   | SKT 350 End Panel | 27392                   | 8/6/2007    |
| 4131        | 25               | 25                   | SKT 350 End Panel | 27392                   | 8/6/2007    |
| 4137        | 25               | 25                   | Type 2            | 27392                   | 8/6/2007    |
| 4130        | 4                | 25                   | Type 2            | 27392                   | 8/6/2007    |
| 4125        | 1                | 25                   | Type 2            | 27392                   | 8/6/2007    |
| 4133        | 5                | 25                   | SKT 350 End Panel | 27911                   | 9/5/2007    |
| 4138        | 20               | 25                   | SKT 350 End Panel | 27911                   | 9/5/2007    |
| 4152        | 25               | 25                   | Type 2            | 27911                   | 9/5/2007    |
| 4138        | 25               | 25                   | SKT 350 End Panel | 27855                   | 9/5/2007    |
| 4134        | 5                | 25                   | Type 2            | 27855                   | 9/5/2007    |
| 4150        | 20               | 25                   | Type 2            | 27855                   | 9/5/2007    |
| 4153        | 160              | 12.5                 | Type 2            | 28239                   | 9/18/2007   |
| 4185        | 120              | 12.5                 | Type 2            | 28239                   | 9/18/2007   |
| 4150        | 10               | 25                   | SKT 350 End Panel | 28239                   | 9/18/2007   |
| 4209        | 80               | 12.5                 | Thrie Beam        | 28619                   | 10/2/2007   |
| 4199        | 2                | 25                   | Type 2            | 28606                   | 10/2/2007   |
| 4205        | 25               | 25                   | SKT 350 End Panel | 28711                   | 10/2/2007   |
| 4208        | 25               | 25                   | Type 2            | 28711                   | 10/2/2007   |
| 4203        | 25               | 25                   | Type 2            | 28711                   | 10/2/2007   |
| 4205        | 25               | 25                   | SKT 350 End Panel | 28712                   | 10/2/2007   |
| 4203        | 25               | 25                   | Type 2            | 28712                   | 10/2/2007   |
| 4189        | 5                | 25                   | Type 2            | 28418                   | 10/2/2007   |
| 4205        | 25               | 25                   | SKT 350 End Panel | 28820                   | 10/2/2007   |

## Approved Steel Plate Beam Guard Shipments

**Vendor:** KG Landscaping(Kembles Green House), Prairie Du Chien, WI  
**Manufacturer:** Gregory Highway Products, Inc.

Type 2 = regular steel plate panel

| Heat Number | Number of Panels | Panel Length in feet | Panel Type           | Invoice/order/lading # | Date Tested |
|-------------|------------------|----------------------|----------------------|------------------------|-------------|
| 3952        | 40               |                      | 25 Type 2            | 25383                  | 5/7/2007    |
| 4036        | 11               |                      | 25 Type 2            | 25383                  | 5/7/2007    |
| 4036        | 2                |                      | 25 SKT 350 End Panel | 25383                  | 5/7/2007    |
| 3992        | 1                |                      | 25 SKT 350 End Panel | 25383                  | 5/7/2007    |
| 3776        | 1                |                      | 25 SKT 350 End Panel | 25383                  | 5/7/2007    |
| 3837        | 1                |                      | 25 SKT 350 End Panel | 25383                  | 5/7/2007    |
| 3930        | 1                |                      | 25 SKT 350 End Panel | 25383                  | 5/7/2007    |
| 4026        | 46               |                      | 12.5 Type 2          | 25383                  | 5/7/2007    |
| 3901        | 25               |                      | 12.5 Thrie Beam      | 25383                  | 5/7/2007    |
| 3661        | 13               |                      | 12.5 Thrie Beam      | 25383                  | 5/7/2007    |
| 4020        | 2                |                      | 12.5 Radius 5-foot   | 25383                  | 5/7/2007    |
| 3661        | 52               |                      | 12.5 Thrie Beam      | 25606                  | 5/14/2007   |
| 4048        | 1                |                      | 25 SKT 350 End Panel | 25606                  | 5/14/2007   |
| 4058        | 10               |                      | 25 Type 2            | 25606                  | 5/14/2007   |
| 4036        | 13               |                      | 25 Type 2            | 25383                  | 5/14/2007   |
| 3998        | 1                |                      | 25 End Panel         | 25383                  | 5/14/2007   |
| 3776        | 1                |                      | 25 End Panel         | 25383                  | 5/14/2007   |
| 3837        | 1                |                      | 25 End Panel         | 25383                  | 5/14/2007   |
| 3952        | 40               |                      | 25 Type 2            | 25383                  | 5/14/2007   |
| 3930        | 1                |                      | 25 End Panel         | 25383                  | 5/14/2007   |
| 4057        | 37               |                      | 25 Type 2            | 25757                  | 5/23/2007   |
| 4048        | 13               |                      | 25 End Panel         | 25757                  | 5/23/2007   |
| 4057        | 14               |                      | 12.5 Type 2          | 25757                  | 5/23/2007   |
| 4091        | 68               |                      | 25 Type 2            | 26135                  | 6/5/2007    |
| 4091        | 1                |                      | 25 End Panel         | 26135                  | 6/5/2007    |
| 4061        | 5                |                      | 25 End Panel         | 26135                  | 6/5/2007    |
| 3901        | 25               |                      | 12.5 Thrie Beam      | 26135                  | 6/5/2007    |
| 3871        | 2                |                      | 12.5 Thrie Beam      | 26135                  | 6/5/2007    |
| 4082        | 22               |                      | 12.5 Thrie Beam      | 26135                  | 6/5/2007    |
| 4065        | 24               |                      | 25 Type 2            | 25757                  | 6/19/2007   |
| 4115        | 73               |                      | 25 Type 2            | 26807                  | 6/28/2007   |
| 4112        | 14               |                      | 12.5 Thrie Beam      | 26807                  | 6/28/2007   |
| 4084        | 5                |                      | 25 End Panel         | 26807                  | 6/28/2007   |
| 4081        | 5                |                      | 12.5 Type 2          | 26807                  | 6/28/2007   |
| 4108        | 5                |                      | 12.5 Type 2          | 26807                  | 6/28/2007   |
| 4089        | 6                |                      | 12.5 Radius-? Foot   | 26807                  | 6/28/2007   |
| 4033        | 7                |                      | 12.5 Radius-? Foot   | 26807                  | 6/28/2007   |
| 3792        | 3                |                      | 12.5 Thrie Beam      | 26807                  | 6/28/2007   |
| 4133        | 10               |                      | 25 End Panel         | 27580                  | 8/10/2007   |
| 4133        | 10               |                      | 25 Type 2            | 27580                  | 8/10/2007   |
| 4150        | 40               |                      | 25 Type 2            | 27801                  | 8/30/2007   |
| 4138        | 10               |                      | 25 End Panel         | 27801                  | 8/30/2007   |
| 4150        | 40               |                      | 25 Type 2            | 27801                  | 8/30/2007   |
| 4138        | 10               |                      | 25 End Panel         | 27801                  | 8/30/2007   |
| 4153        | 7                |                      | 25 Type 2            | 27801                  | 8/30/2007   |
| 4178        | 24               |                      | 25 End Panel         | 28120                  | 9/7/2007    |
| 4153        | 1                |                      | 25 End Panel         | 28120                  | 9/7/2007    |
| 4177        | 25               |                      | 25 Type 2            | 28120                  | 9/7/2007    |
| 4112        | 13               |                      | 12.5 Thrie Beam      | 28120                  | 9/7/2007    |
| 4180        | 40               |                      | 12.5 Type 2          | 28217                  | 9/7/2007    |
| 4153        | 8                |                      | 25 End Panel         | 28217                  | 9/7/2007    |
| 4182        | 24               |                      | 25 Type 2            | 28217                  | 9/7/2007    |
| 4150        | 16               |                      | 25 End Panel         | 28217                  | 10/1/2007   |
| 4203        | 100              |                      | 25 Type 2            | 28709                  | 10/1/2007   |
| 4203        | 80               |                      | 25 Type 2            | 28709                  | 10/1/2007   |
| 4203        | 8                |                      | 12.5 Type 2          | 28709                  | 10/1/2007   |
| 4203        | 42               |                      | 12.5 Type 2          | 28709                  | 10/1/2007   |
| 4178        | 2                |                      | 12.5 Radius 10 foot  | 28941                  | 10/11/2007  |
| 4178        | 2                |                      | 12.5 Radius 20 foot  | 28941                  | 10/11/2007  |
| 4178        | 2                |                      | 12.5 Radius 30 foot  | 28941                  | 10/11/2007  |
| 4201        | 30               |                      | 12.5 Type 2          | 28941                  | 10/11/2007  |
| 4215        | 17               |                      | 25 SKT 350 End Panel | 28941                  | 10/11/2007  |
| 4201        | 57               |                      | 25 Type 2            | 28941                  | 10/11/2007  |
| 4206        | 1                |                      | 12.5 Type 2          | 29344                  | 10/30/2007  |
| 4198        | 2                |                      | 12.5 End Panel       | 29344                  | 10/30/2007  |
| 4184        | 3                |                      | 12.5 Thrie Beam      | 29344                  | 10/30/2007  |
| 4166        | 10               |                      | 12.5 Thrie Beam      | 29344                  | 10/30/2007  |
| 4231        | 6                |                      | 25 SKT 350 End Panel | 29344                  | 10/30/2007  |
| 4175        | 53               |                      | 25 Type 2            | 29344                  | 10/30/2007  |

## Approved Steel Plate Beam Guard Shipments

**Vendor:** Kuehne Company, Inc., Oak Creek, WI

**Manufacturer:** Gregory Highway Products

Type 2 = regular steel plate panel

| Heat Number | Number of Panels | Panel Length in feet | Panel Type | Invoice/order/lading # | Date Tested |
|-------------|------------------|----------------------|------------|------------------------|-------------|
|-------------|------------------|----------------------|------------|------------------------|-------------|

**Approved Steel Plate Beam Guard Shipments**

|                      |  |
|----------------------|--|
| <b>Vendor:</b>       | <b>Kuehne Company, Inc., Oak Creek, WI</b> |
| <b>Manufacturer:</b> | <b>R.G. Steel Corp.</b>                    |

Type 2 = regular steel plate panel

| Heat Number | Number of Panels | Panel Length in feet | Panel Type               | Invoice/order/lading # | Date Tested |
|-------------|------------------|----------------------|--------------------------|------------------------|-------------|
| 708-101657  | 80               | 25                   | Type 2                   | 38008                  | 6/7/2007    |
| 708-101657  | 150              | 12.5                 | Type 2                   | 38008                  | 6/7/2007    |
| 595-83985   | 4                | 12.5                 | End Panel (Cable anchor) | 38008                  | 6/7/2007    |
| 595-83985   | 10               | 12.5                 | SKT 350 End Panel        | 38008                  | 6/7/2007    |
| 712-04886   | 80               | 12.5                 | Type 2                   | 38832                  | 9/26/2007   |
| 712-104886  | 40               | 25                   | Type 2                   | 38832                  | 9/26/2007   |
| 712-104886  | 10               | 12.5                 | SKT 350 End Panel        | 38832                  | 9/26/2007   |

**Approved Steel Plate Beam Guard Shipments**

|                      |  |
|----------------------|--|
| <b>Vendor:</b>       | <b>Mattison Contractors, Inc., Knapp, WI</b> |
| <b>Manufacturer:</b> | <b>Gregory Highway Products, Inc.</b>        |
|                      | Type 2 = regular steel plate panel           |

| Heat Number | Number of Panels | Panel Length in feet | Panel Type                                    | Invoice/order/lading # | Date Tested |
|-------------|------------------|----------------------|---|------------------------|-------------|
| 3998        | 25               | 25                   | SKT 350 End Panel                             | 25272                  | 5/2/2007    |
| 4031        | 25               | 25                   | Type 2  | 25272                  | 5/2/2007    |
| 3901        | 150              | 12.5                 | Thrie Beam                                    | 25321                  | 5/14/2007   |
| 4016        | 25               | 12.5                 | End Panel                                     | 25321                  | 5/14/2007   |
| 4036        | 20               | 25                   | Type 2  | 25321                  | 5/14/2007   |
| 3952        | 20               | 25                   | Type 2  | 25321                  | 5/14/2007   |
| 4091        | 200              | 25                   | Type 2  | 26245                  | 6/14/2007   |
| 4061        | 21               | 25                   | SKT 350 End Panel                             | 26063                  | 6/14/2007   |
| 4077        | 20               | 25                   | Type 2  | 26063                  | 6/14/2007   |
| 4057        | 5                | 25                   | Type 2  | 26063                  | 6/14/2007   |
| 4083        | 40               | 12.5                 | Radius- 40 foot                               | 26330                  | 6/14/2007   |
| 4083        | 40               | 12.5                 | Radius- 5 foot                                | 26330                  | 6/14/2007   |
| 4083        | 40               | 12.5                 | Radius- 60 foot                               | 26330                  | 6/14/2007   |
| 4100        | 240              | 25                   | Type 2  | 26330                  | 6/14/2007   |
| 4120        | 5                | 25                   | SKT 350 End Panel                             | 26805                  | 7/10/2007   |
| 4123        | 20               | 25                   | SKT 350 End Panel                             | 26805                  | 7/10/2007   |
| 4125        | 25               | 25                   | Type 2  | 26805                  | 7/10/2007   |
| 4131        | 25               | 25                   | SKT 350 End Panel                             | 27265                  | 7/25/2007   |
| 4130        | 25               | 25                   | Type 2  | 27265                  | 7/25/2007   |
| 4115        | 1                | 25                   | Type 2  | 27265                  | 7/25/2007   |
| 4137        | 40               | 25                   | Type 2  | 27306                  | 7/25/2007   |
| 4146        | 220              | 25                   | Type 2  | 27306                  | 7/25/2007   |
| 4145        | 260              | 25                   | Type 2  | 27306                  | 7/25/2007   |
| 4148        | 5                | 25                   | Type 2  | 27729                  | 8/14/2007   |
| 4138        | 25               | 25                   | SKT 350 End Panel                             | 27729                  | 8/14/2007   |
| 4138        | 25               | 25                   | Type 2  | 27729                  | 8/14/2007   |
| 4135        | 15               | 25                   | Type 2  | 27491                  | 8/14/2007   |
| 4123        | 25               | 25                   | SKT 350 End Panel                             | 27491                  | 8/14/2007   |
| 4145        | 10               | 25                   | Type 2  | 27491                  | 8/14/2007   |
| 4138        | 280              | 25                   | Type 2  | 27857                  | 8/14/2007   |
| 4153        | 260              | 25                   | Type 2  | 27798                  | 8/23/2007   |
| 4196        | 25               | 25                   | Type 2  | 28474                  | 9/26/2007   |
| 4182        | 25               | 25                   | SKT 350 End Panel                             | 28474                  | 9/26/2007   |
| 4150        | 5                | 25                   | SKT 350 End Panel                             | 28474                  | 9/26/2007   |
| 4061        | 5                | 25                   | Type 2  | 28474                  | 9/26/2007   |
| 4185        | 25               | 25                   | Type 2  | 28474                  | 9/26/2007   |
| 4189        | 25               | 25                   | Type 2  | 28474                  | 9/26/2007   |
| 4203        | 50               | 12.5                 | SKT 350 End Panel                             | 28744                  | 10/4/2007   |
| 4196        | 2                | 25                   | Type 2  | 28744                  | 10/4/2007   |
| 4203        | 25               | 25                   | SKT 350 End Panel                             | 28744                  | 10/4/2007   |
| 4205        | 25               | 25                   | SKT 350 End Panel                             | 28744                  | 10/4/2007   |
| 4153        | 45               | 12.5                 | Radius- 10 ft, 40 ft, 50 ft                   | 28744                  | 10/4/2007   |
| 4209        | 175              | 12.5                 | Thrie Beam                                    | 28744                  | 10/4/2007   |
| 4203        | 25               | 25                   | SKT 350 End Panel                             | 28894                  | 10/18/2007  |
| 4215        | 25               | 25                   | Type 2  | 28894                  | 10/18/2007  |
| 4215        | 25               | 25                   | SKT 350 End Panel                             | 28958                  | 10/18/2007  |
| 4205        | 25               | 25                   | Type 2  | 28958                  | 10/18/2007  |
| 4215        | 25               | 25                   | SKT 350 End Panel                             | 28958                  | 10/18/2007  |
| 4201        | 25               | 12.5                 | Type 2  | 28958                  | 10/18/2007  |
| 4201        | 25               | 25                   | Type 2  | 28958                  | 10/18/2007  |
| 4214        | 25               | 25                   | SKT 350 End Panel                             | 29103                  | 10/23/2007  |
| 4221        | 25               | 25                   | Type 2  | 29103                  | 10/23/2007  |
| 4175        | 80               | 12.5                 | Type 2  | 29293                  | 11/2/2007   |
| 4175        | 29               | 12.5                 | Radius-15ft., 25 ft., 30 ft.                  | 29293                  | 11/2/2007   |
| 4229        | 76               | 12.5                 | Radius- 30 ft., 35 ft., 40 ft., 50 ft., 60 ft | 29293                  | 11/2/2007   |
| 4230        | 15               | 25                   | SKT 350 End Panel                             | 29293                  | 11/2/2007   |
| 4221        | 15               | 25                   | Type 2  | 29293                  | 11/2/2007   |

## Approved Steel Plate Beam Guard Shipments

**Vendor:** Mattison Contractors, Inc. (formerly Timberline) , Knapp, WI

**Manufacturer:** R.G. Steel Corporation

Type 2 = regular steel plate panel

| Heat Number | Number of Panels | Panel Length in feet | Panel Type | Invoice/order/lading # | Date Tested |
|-------------|------------------|----------------------|------------|------------------------|-------------|
| 704-85875   | 260              | 25                   | Type 2     | 7147 Golden Ring       | 5/2/2007    |
| 712         | 260              | 25                   | Type 2     | 7787 mason/dixon       | 10/3/2007   |
| 712-104886  | 200              | 25                   | Type 2     | 7871                   | 10/18/2007  |
| 712-104886  | 260              | 25                   | Type 2     | 7904                   | 10/23/2007  |

## Approved Steel Plate Beam Guard Shipments

**Vendor:** Mattison Contractors, Inc. (formerly Timberline) , Knapp, WI

**Manufacturer:** Trinity Industries

Type 2 = regular steel plate panel

| Heat Number | Number of Panels | Panel Length in feet | Panel Type | Invoice/order/lading # | Date Tested |
|-------------|------------------|----------------------|------------|------------------------|-------------|
| 574490      | 160              | 25                   | Type 2     | 38870                  | 11/2/2007   |

## Approved Steel Plate Beam Guard Shipments

**Vendor:** RDLW Landscaping , Cottage Grove, WI

**Manufacturer:** R.G. Steel Corporation

Type 2 = regular steel plate panel

| Heat Number | Number of Panels | Panel Length in feet | Panel Type        | Invoice/order/lading # | Date Tested |
|-------------|------------------|----------------------|-------------------|------------------------|-------------|
| 704         | 160              | 25                   | Type 2            | 7244                   | 5/4/2007    |
| 701         | 60               | 12.5                 | Thrie Beam        | 7244                   | 5/4/2007    |
| 573         | 12               | 12.5                 | Thrie Beam        | 7244                   | 5/4/2007    |
| 598         | 40               | 12.5                 | Type 2            | 7244                   | 5/4/2007    |
| 708         | 60               | 25                   | Type 2            | 7305                   | 5/16/2007   |
| 708         | 120              | 25                   | Type 2            | 36092                  | 5/24/2007   |
| 708         | 80               | 12.5                 | Type 2            | 36092                  | 5/24/2007   |
| 595         | 20               | 12.5                 | End panel         | 36092                  | 5/24/2007   |
| 595         | 22               | 12.5                 | End panel         | 7373                   | 6/14/2007   |
| 708         | 80               | 12.5                 | Type 2            | 7373                   | 6/14/2007   |
| 708         | 200              | 25                   | Type 2            | 7454                   | 7/11/2007   |
| 701         | 60               | 12.5                 | Thrie Beam        | 7454                   | 7/11/2007   |
| 708         | 180              | 25                   | Type 2            | 7598                   | 8/16/2007   |
| 712         | 40               | 12.5                 | Type 2            | 7598                   | 8/16/2007   |
| 712         | 13               | 12.5                 | SKT 350 end panel | 7598                   | 8/16/2007   |
| 712         | 15               | 12.5                 | Anchor end panel  | 7598                   | 8/16/2007   |
| 701         | 24               | 12.5                 | Thrie Beam        | 7598                   | 8/16/2007   |
| 712         | 80               | 25                   | Type 2            | 7729                   | 9/26/2007   |
| 712         | 80               | 12.5                 | Type 2            | 7729                   | 9/26/2007   |
| 712         | 100              | 25                   | Type 2            | 7847                   | 10/15/2007  |
| 717         | 80               | 12.5                 | Type 2            | 7847                   | 10/15/2007  |
| 712         | 23               | 12.5                 | End panel         | 7847                   | 10/15/2007  |
| 594         | 2                | 12.5                 | Radius-20 foot    | 7847                   | 10/15/2007  |
| 708         | 3                | 12.5                 | Radius-30 foot    | 7847                   | 10/15/2007  |
| 594         | 4                | 12.5                 | Radius-40 foot    | 7847                   | 10/15/2007  |
| 712         | 260              | 25                   | Type 2            | 7937                   | 10/29/2007  |
| 712         | 10               | 12.5                 | End panel         | 8001/8002              | 11/12/2007  |
| 721         | 40               | 12.5                 | Type 2            | 8001/8002              | 11/12/2007  |
| 721         | 100              | 25                   | Type 2            | 8001/8002              | 11/12/2007  |
| 721         | 100              | 25                   | Type 2            | 8001/8002              | 11/12/2007  |
| 721         | 80               | 25                   | Type 2            | 8001/8002              | 11/12/2007  |

## Approved Steel Plate Beam Guard Shipments

**Vendor:** Timme, Inc., Elk Mound, WI

**Manufacturer:** Gregory Highway Products, Inc.

Type 2 = regular steel plate panel

| Heat Number | Number of Panels | Panel Length in feet | Panel Type        | Invoice/order/lading # | Date Tested |
|-------------|------------------|----------------------|-------------------|------------------------|-------------|
| 4131        | 25               | 25                   | SKT 350 End panel | 27307                  | 7/25/2007   |
| 4145        | 25               | 25                   | Type 2            | 27307                  | 7/25/2007   |
| 4129        | 20               | 12.5                 | Type 2            | 27746                  | 8/20/2007   |
| 4112        | 25               | 12.5                 | Type 2            | 27746                  | 8/20/2007   |
| 4152        | 160              | 25                   | Type 2            | 27746                  | 8/20/2007   |
| 4209        | 90               | 12.5                 | Thrie Beam        | 28776                  | 10/8/2007   |

## Approved Steel Plate Beam Guard Shipments

**Vendor:** Timme, Inc., Elk Mound, WI

**Manufacturer:** Trinity Highway Products, Inc.

Type 2 = regular steel plate panel

| Heat Number | Number of Panels | Panel Length in feet | Panel Type | Invoice/order/lading # | Date Tested |
|-------------|------------------|----------------------|------------|------------------------|-------------|
| 102106      | 250              | 25                   | Type 2     | 36160                  | 6/14/2007   |
| 135295      | 156              | 25                   | Type 2     | 36160                  | 6/20/2007   |
| 135357      | 75               | 25                   | Type 2     | 36160                  | 6/20/2007   |

## Approved Steel Plate Beam Guard Shipments

|                |                                 |  |
|----------------|---------------------------------|--|
| <b>Vendor:</b> | <b>Timme, Inc, Endeavor, WI</b> |  |
|----------------|---------------------------------|--|

|                      |                           |  |
|----------------------|---------------------------|--|
| <b>Manufacturer:</b> | <b>Trinity Industries</b> |  |
|----------------------|---------------------------|--|

Type 2 = regular steel plate panel

| Heat Number | Number of Panels | Panel Length in feet | Panel Type | Invoice/order/lading # | Date Tested |
|-------------|------------------|----------------------|------------|------------------------|-------------|
|-------------|------------------|----------------------|------------|------------------------|-------------|

## Approved Steel Plate Beam Guard Shipments

**Vendor:** Timme, Inc., Spring Valley, WI

**Manufacturer:** Gregory Highway Products, Inc.

Type 2 = regular steel plate panel

| Heat Number | Number of Panels | Panel Length in feet | Panel Type | Invoice/order/lading # | Date Tested |
|-------------|------------------|----------------------|------------|------------------------|-------------|
|-------------|------------------|----------------------|------------|------------------------|-------------|

|  |
|--|
| <b>Approved Steel Plate Beam Guard Shipments</b> |
|--|

|                      |                                       |
|----------------------|---------------------------------------|
| <b>Vendor:</b>       | <b>Timme, Inc, Endeavor, WI</b>       |
| <b>Manufacturer:</b> | <b>Gregory Highway Products, Inc.</b> |

Type 2 = regular steel plate panel

| Heat Number | Number of Panels | Panel Length in feet | Panel Type            | Invoice/order/lading # | Date Tested |
|-------------|------------------|----------------------|-----------------------|------------------------|-------------|
| 3899        | 25               | 25                   | SKT 350 End Panel     | 25175                  | 5/2/2007    |
| 4024        | 80               | 12.5                 | Type 2                | 25279                  | 5/2/2007    |
| 3952        | 30               | 25                   | Type 2                | 25279                  | 5/2/2007    |
| 3989        | 120              | 25                   | Type 2                | 25279                  | 5/2/2007    |
| 4031        | 80               | 25                   | Type 2                | 25279                  | 5/2/2007    |
| 4091        | 40               | 12.5                 | Type 2                | 26269                  | 6/12/2007   |
| 4103        | 20               | 12.5                 | Type 2                | 26840                  | 6/12/2007   |
| 4069        | 9                | 12.5                 | Radius- 40 foot       | 26840                  | 6/12/2007   |
| 4057        | 8                | 12.5                 | Radius - 15 foot      | 26840                  | 6/12/2007   |
| 3756        | 11               | 25                   | Thrie Beam            | 26840                  | 6/12/2007   |
| 4115        | 325              | 25                   | Type 2                | 26543                  | 6/28/2007   |
| 4084        | 3                | 25                   | SKT 350 End Panel     | 26703                  | 6/28/2007   |
| 4021        | 2                | 25                   | SKT 350 End Panel     | 26703                  | 6/28/2007   |
| 4133        | 20               | 25                   | Type 2                | 27445                  | 8/8/2007    |
| 4123        | 10               | 25                   | SKT 350 End Panel     | 27445                  | 8/8/2007    |
| 4131        | 6                | 25                   | SKT 350 End Panel     | 27445                  | 8/8/2007    |
| 4115        | 1                | 25                   | SKT 350 End Panel     | 27445                  | 8/8/2007    |
| 4152        | 180              | 25                   | Type 2                | 27746                  | 8/17/2007   |
| 4129        | 20               | 12.5                 | Type 2, anchor panels | 27746                  | 8/17/2007   |
| 4118        | 25               | 25                   | Type 2                | 26703                  | 8/17/2007   |
| 4120        | 24               | 25                   | Type 2                | 26703                  | 8/17/2007   |
| 3806        | 8                | 12.5                 | Thrie Beam            | 26703                  | 8/17/2007   |
| 4086        | 4                | 25                   | Type 2                | 26480                  | 10/5/2007   |
| 4203        | 10               | 25                   | SKT 350 End Panel     | 28776                  | 10/5/2007   |
| 4203        | 10               | 25                   | Type 2                | 28776                  | 10/5/2007   |
| 4166        | 75               | 12.5                 | Thrie Beam            | 28776                  | 10/5/2007   |
| 4221        | 260              | 25                   | Type 2                | 28992                  | 10/14/2007  |
| 4222        | 7                | 12.5                 | Radius - 40 foot      | 29016                  | 10/14/2007  |
| 4214        | 32               | 25                   | SKT 350 End Panel     | 29143                  | 10/24/2007  |
| 4221        | 20               | 25                   | SKT 350 End Panel     | 29143                  | 10/24/2007  |
| 4206        | 15               | 25                   | Type 2                | 29143                  | 10/24/2007  |
| 4187        | 25               | 25                   | SKT 350 End Panel     | 29810                  | 11/13/2007  |
| 4238        | 98               | 25                   | Type 2                | 29626                  | 11/13/2007  |
| 4188        | 25               | 25                   | SKT 350 End Panel     | 29626                  | 11/13/2007  |
| 4221        | 12               | 12.5                 | Type 2 end panel      | 29810                  | 11/30/2007  |
| 4232        | 7                | 12.5                 | Type 2 end panel      | 29885                  | 11/30/2007  |
| 4188        | 12               | 25                   | SKT 350 End Panel     | 29885                  | 11/30/2007  |
| 4238        | 10               | 25                   | Type 2                | 29885                  | 11/30/2007  |
| 4236        | 50               | 25                   | Type 2                | 29885                  | 11/30/2007  |
| 4248        | 12               | 25                   | Type 2                | 29885                  | 11/30/2007  |
| 4237        | 40               | 25                   | Type 2                | 29885                  | 11/30/2007  |

## Approved Steel Plate Beam Guard Shipments

**Vendor:** Wausau Concrete & Building Supply, Inc., Wausau , WI

**Manufacturer:** Trinity Industries

Type 2 = regular steel plate panel

| Heat Number | Number of Panels | Panel Length in feet | Panel Type | Invoice/order/lading # | Date Tested |
|-------------|------------------|----------------------|------------|------------------------|-------------|
|-------------|------------------|----------------------|------------|------------------------|-------------|

# Approved Steel Plate Beam Guard Shipments

**Vendor:** West Land Restoration Co, Waunkee,WI

**Manufacturer:** RG Steel Corp.

Type 2 = regular steel plate panel

| Heat Number | Number of Panels | Panel Length in feet | Panel Type | Invoice/order/lading # | Date Tested |
|-------------|------------------|----------------------|------------|------------------------|-------------|
| 596         | 40               | 12.5                 | Type 2     | 7065                   | 4/3/2007    |
| 704         | 240              | 25                   | Type 2     | 7065                   | 4/3/2007    |

## Approved Steel Plate Beam Guard Shipments

**Vendor:** Western Culvert and Supply, Inc., Oconomowoc, WI

**Manufacturer:** Trinity Industries

Type 2 = regular steel plate panel

| Heat Number | Number of Panels | Panel Length in feet | Panel Type        | Invoice/order/lading # | Date Tested |
|-------------|------------------|----------------------|-------------------|------------------------|-------------|
| 84971       | 20               | 25                   | Slotted end panel | 34517                  | 3/2/2007    |
| 84972       | 6                | 12.5                 | Slotted end panel | 34516                  | 3/2/2007    |
| 85872       | 6                | 25                   | Slotted end panel | 34516                  | 3/2/2007    |
| 84972       | 20               | 25                   | Type 2            | 34517                  | 3/2/2007    |
| 83322       | 10               | 12.5                 | Radius- 20 foot   | 34512                  | 3/2/2007    |
| 84972       | 10               | 12.5                 | Radius- 20 foot   | 34512                  | 3/2/2007    |

## Approved Steel Plate Beam Guard Shipments

|                      |                                      |  |
|----------------------|--------------------------------------|--|
| <b>Vendor:</b>       | West Land Restoration Co, Waunkee,WI |  |
| <b>Manufacturer:</b> | Trinity Industries                   |  |

Type 2 = regular steel plate panel

| Heat Number | Number of Panels | Panel Length in feet | Panel Type           | Invoice/order/lading # | Date Tested |
|-------------|------------------|----------------------|----------------------|------------------------|-------------|
| 577079      | 24               |                      | 25 Type 2            | 34937                  | 4/5/2007    |
| 86887       | 74               |                      | 12.5 Thrie Beam      | 34937                  | 4/5/2007    |
| 86897       | 6                |                      | 12.5 Type 2          | 34937                  | 4/5/2007    |
| 82191       | 4                |                      | 25 Thrie Beam        | 34937                  | 4/5/2007    |
| 84967       | 2                |                      | 12.5 Radius- ? Foot  | 34937                  | 4/5/2007    |
| 102103      | 66               |                      | 25 Type 2            | 36766                  | 7/17/2007   |
| 102103      | 4                |                      | 25 Type 2            | 36730                  | 7/17/2007   |
| 102103      | 6                |                      | 25 Type 2            | 36734                  | 7/17/2007   |
| 102103      | 2                |                      | 25 Type 2            | 36728                  | 7/17/2007   |
| 102103      | 4                |                      | 25 Type 2            | 36729                  | 7/17/2007   |
| 102101      | 8                |                      | 12.5 Thrie Beam      | 36732                  | 7/17/2007   |
| 102101      | 8                |                      | 12.5 Thrie Beam      | 36733                  | 7/17/2007   |
| 174848      | 2                |                      | 12.5 Type 2          | 36731                  | 7/17/2007   |
| 174848      | 46 total #       |                      | 25 End Panel         | 36730                  | 7/17/2007   |
| 174848      | "                |                      | 25 End Panel         | 36764                  | 7/17/2007   |
| 174848      | "                |                      | 25 End Panel         | 36728                  | 7/17/2007   |
| 174848      | "                |                      | 25 End Panel         | 36729                  | 7/17/2007   |
| 95477       | 1                |                      | 25 End Panel         | 37295                  | 8/14/2007   |
| 95477       | 12               |                      | 25 End Panel         | 37284                  | 8/14/2007   |
| 95477       | 7                |                      | 25 End Panel         | 37287                  | 8/14/2007   |
| 95477       | 4                |                      | 25 End Panel         | 37288                  | 8/14/2007   |
| 103492      | 1                |                      | 25 Type 2            | 37295                  | 8/14/2007   |
| 103492      | 12               |                      | 25 Type 2            | 37284                  | 8/14/2007   |
| 103492      | 10               |                      | 25 Type 2            | 37285                  | 8/14/2007   |
| 103492      | 13               |                      | 25 Type 2            | 37286                  | 8/14/2007   |
| 103492      | 7                |                      | 25 Type 2            | 37287                  | 8/14/2007   |
| 103492      | 4                |                      | 25 Type 2            | 37288                  | 8/14/2007   |
| 101653      | 2                |                      | 12.5 Radius- 20 Foot | 37294                  | 8/14/2007   |
| 174922      | 4                |                      | 12.5 Radius- 30 Foot | 37294                  | 8/14/2007   |
| 574491      | 24               |                      | 25 Type 2            | 38776                  | 10/29/2007  |
| 574491      | 24               |                      | 25 End Panel for ET  | 38776                  | 10/29/2007  |
| 574487      | 100              |                      | 25 Type 2            | 38942                  | 11/1/2007   |
| 574487      | 50               |                      | 25 Type 2            | 38942                  | 11/1/2007   |
| 574491      | 4                |                      | 25 Type 2            | 38939                  | 11/1/2007   |
| 106603      | 4                |                      | 25 End panel         | 38939                  | 11/1/2007   |
| 574491      | 4                |                      | 25 Type 2            | 38943                  | 11/1/2007   |
| 106603      | 4                |                      | 25 End panel         | 38943                  | 11/1/2007   |
| 574490      | 9                |                      | 25 Type 2            | 38941                  | 11/1/2007   |
| 102298      | 8                |                      | 12.5 Thrie Beam      | 38941                  | 11/1/2007   |
| 102098      | 8                |                      | 12.5 Thrie Beam      | 38940                  | 11/1/2007   |

## Approved Steel Plate Beam Guard Shipments

**Vendor:** Western Culvert and Supply, Inc., Oconomowoc, WI

**Manufacturer:** Trinity Industries

Type 2 = regular steel plate panel

| Heat Number | Number of Panels | Panel Length in feet | Panel Type        | Invoice/order/lading # | Date Tested |
|-------------|------------------|----------------------|-------------------|------------------------|-------------|
| 84971       | 20               | 25                   | Slotted end panel | 34517                  | 3/2/2007    |
| 84972       | 6                | 12.5                 | Slotted end panel | 34516                  | 3/2/2007    |
| 85872       | 6                | 25                   | Slotted end panel | 34516                  | 3/2/2007    |
| 84972       | 20               | 25                   | Type 2            | 34517                  | 3/2/2007    |
| 83322       | 10               | 12.5                 | Radius- 20 foot   | 34512                  | 3/2/2007    |
| 84972       | 10               | 12.5                 | Radius- 20 foot   | 34512                  | 3/2/2007    |
| 0175844     | 10               | 12.5                 | Radius- 30 foot   | 39009                  | 11/6/2007   |
| 574490      | 40               | 25                   | Type 2            | 39009                  | 11/6/2007   |
| 106603      | 40               | 25                   | End panel         | 39009                  | 11/6/2007   |

## Approved Steel Plate Beam Guard Shipments

**Vendor:** Western Culvert and Supply, Inc., Oconomowoc, WI

**Manufacturer:** RG Steel

Type 2 = regular steel plate panel

| Heat Number | Number of Panels | Panel Length in feet | Panel Type    | Invoice/order/lading # | Date Tested |
|-------------|------------------|----------------------|---------------|------------------------|-------------|
| 595         | 40               | 12.5                 | Type 2        | 7083                   | 3/2/2007    |
| 592         | 40               | 12.5                 | SKT End Panel | 7083                   | 3/2/2007    |
| 704         | 60               | 25                   | Type 2        | 7083                   | 3/2/2007    |
| 596         | 520              | 12.5                 | Type 2        | 7137                   | 3/2/2007    |
| 597         | 200              | 12.5                 | Type 2        | 7278                   | 5/22/2007   |
| 508         | 65               | 12.5                 | SKT End Panel | 7278                   | 5/22/2007   |