



2009

Summary of WisDOT tests of Glass Beads used in pavement marking

Contact:
Thomas Brokaw, Materials Laboratory Unit supervisor
3502 Kinsman Blvd
Madison, WI
Phone- (608) 246-7934
E-mail:
thomas.brokaw@dot.wi.gov

** denotes an unsatisfactory batch that is excluded for use.*

<u>WisDOT Test</u>			<u>Manufacturer</u>	<u>Batch</u>	<u>WisDOT Comments</u>
310	1	2009	FLEX-O-LITE - MUSCATINE, IA	110808MU01-22	Satisfactory for Epoxy and Paint
310	2	2009	FLEX-O-LITE - MUSCATINE, IA	110908MU01-22	Satisfactory for Epoxy and Paint
310	3	2009	FLEX-O-LITE - MUSCATINE, IA	111408MU01-22	Satisfactory for Epoxy and Paint
310	4	2009	FLEX-O-LITE - MUSCATINE, IA	112108MU01-22	Satisfactory for Epoxy and Paint
310	5	2009	FLEX-O-LITE - MUSCATINE, IA	120108MU01-22	Satisfactory for Epoxy and Paint
310	6	2009	FLEX-O-LITE - MUSCATINE, IA	120608MU01-22	Satisfactory for Epoxy and Paint
310	7	2009	FLEX-O-LITE - MUSCATINE, IA	110608MU23-44	Satisfactory for Epoxy only
310	8	2009	FLEX-O-LITE - MUSCATINE, IA	110708MU01-22	Satisfactory for Epoxy only
310	9	2009	FLEX-O-LITE - MUSCATINE, IA	110908MU01-22	Satisfactory for Epoxy only
310	10	2009	FLEX-O-LITE - MUSCATINE, IA	111308MU01-22	Satisfactory for Epoxy only
310	11	2009	FLEX-O-LITE - MUSCATINE, IA	112008MU01-22	Satisfactory for Epoxy only
310	12	2009	FLEX-O-LITE - MUSCATINE, IA	120208MU01-22	Satisfactory for Epoxy only
310	13	2009	FLEX-O-LITE - MUSCATINE, IA	120308MU01-22	Satisfactory for Epoxy only
310	14	2009	FLEX-O-LITE - MUSCATINE, IA	120408MU01-22	Satisfactory for Epoxy only
310	15	2009	FLEX-O-LITE - MUSCATINE, IA	120508MU01-22	Satisfactory for Epoxy and Paint
310	16	2009	FLEX-O-LITE - MUSCATINE, IA	120908MU01-22	Satisfactory for Epoxy only
310	17	2009	FLEX-O-LITE - MUSCATINE, IA	121008MU01-22	Satisfactory for Epoxy only
310	18	2009	FLEX-O-LITE - MUSCATINE, IA	121908MU01-22	Satisfactory for Epoxy only
310	19	2009	FLEX-O-LITE - MUSCATINE, IA	122008MU01-22	Satisfactory for Epoxy only
310	20	2009	FLEX-O-LITE - MUSCATINE, IA	122108MU01-22	Satisfactory for Epoxy only
310	21	2009	FLEX-O-LITE - MUSCATINE, IA	010209MU01-22	Satisfactory for Epoxy only
310	22	2009	FLEX-O-LITE - MUSCATINE, IA	010209MU23-44	Satisfactory for Epoxy only
310	23	2009	FLEX-O-LITE - MUSCATINE, IA	013109MU01-22	Satisfactory for Epoxy only
310	24	2009	FLEX-O-LITE - MUSCATINE, IA	020809MU01-22	Satisfactory for Epoxy only
310	25	2009	FLEX-O-LITE - MUSCATINE, IA	020809MU23-44	Satisfactory for Epoxy only
310	26	2009	FLEX-O-LITE - MUSCATINE, IA	020809MU45-66	Satisfactory for Epoxy only



2009

Summary of WisDOT tests of Glass Beads used in pavement marking

Contact:
Thomas Brokaw, Materials Laboratory Unit supervisor
3502 Kinsman Blvd
Madison, WI
Phone- (608) 246-7934
E-mail:
thomas.brokaw@dot.wi.gov

** denotes an unsatisfactory batch that is excluded for use.*

<u>WisDOT Test</u>			<u>Manufacturer</u>	<u>Batch</u>	<u>WisDOT Comments</u>
310	27	2009	FLEX-O-LITE - MUSCATINE, IA	010709MU01-22	Satisfactory for Epoxy only
310	28	2009	FLEX-O-LITE - MUSCATINE, IA	012509MU01-22	Satisfactory for Epoxy only
310	29	2009	FLEX-O-LITE - MUSCATINE, IA	012609MU01-22	Satisfactory for Epoxy only
310	30	2009	POTTERS INDUSTRIES - MUSCATINE, IA	012609MU23-44	Satisfactory for Epoxy only
310	31	2009	POTTERS INDUSTRIES - MUSCATINE, IA	021709MU01-22	Satisfactory for Epoxy only
310	32	2009	POTTERS INDUSTRIES - MUSCATINE, IA	021709MU23-44	Satisfactory for Epoxy only
310	33	2009	POTTERS INDUSTRIES - MUSCATINE, IA	021709MU45-66	Satisfactory for Epoxy only
310	34	2009	POTTERS INDUSTRIES - MUSCATINE, IA	021809MU01-22	Satisfactory for Epoxy only
310	35	2009	POTTERS INDUSTRIES - MUSCATINE, IA	021809MU23-44	Satisfactory for Epoxy only
310	36	2009	POTTERS INDUSTRIES - MUSCATINE, IA	021109MU01-22	Satisfactory for Epoxy only
310	37	2009	POTTERS INDUSTRIES - MUSCATINE, IA	033109MU01-22	Satisfactory for Epoxy only
310	38	2009	POTTERS INDUSTRIES - MUSCATINE, IA	033009MU01-22	Satisfactory for Epoxy only
310	39	2009	POTTERS INDUSTRIES - MUSCATINE, IA	041209MU01-22	Satisfactory for Epoxy only
310	40	2009	POTTERS INDUSTRIES - MUSCATINE, IA	041109MU01-22	Satisfactory for Epoxy only
310	41	2009	POTTERS INDUSTRIES - MUSCATINE, IA	040109MU01-22	Satisfactory for Epoxy only
310	42	2009	POTTERS INDUSTRIES - MUSCATINE, IA	040109MU23-44	Satisfactory for Epoxy only
310	43	2009	POTTERS INDUSTRIES - MUSCATINE, IA	040109MU45-66	Satisfactory for Epoxy only
310	44	2009	POTTERS INDUSTRIES - MUSCATINE, IA	042209MU01-22	Satisfactory for Epoxy and Paint
310	45	2009	POTTERS INDUSTRIES - MUSCATINE, IA	042409MU01-22	Satisfactory for Epoxy and Paint
310	46	2009	POTTERS INDUSTRIES - MUSCATINE, IA	042609MU01-22	Satisfactory for Epoxy and Paint
310	47	2009	POTTERS INDUSTRIES - MUSCATINE, IA	050209MU01-22	Satisfactory for Epoxy and Paint
310	48	2009	POTTERS INDUSTRIES - MUSCATINE, IA	050209MU23-44	Satisfactory for Epoxy and Paint
310	49	2009	POTTERS INDUSTRIES - MUSCATINE, IA	050309MU01-22	Satisfactory for Epoxy and Paint
310	50	2009	POTTERS INDUSTRIES - MUSCATINE, IA	050109MU01-22	Satisfactory for Epoxy and Paint
310	51	2009	POTTERS INDUSTRIES - MUSCATINE, IA	050809MU23-44	Satisfactory for Epoxy and Paint
310	52	2009	POTTERS INDUSTRIES - MUSCATINE, IA	050809MU01-22	Satisfactory for Epoxy and Paint



2009

Summary of WisDOT tests of Glass Beads used in pavement marking

Contact:
Thomas Brokaw, Materials Laboratory Unit supervisor
3502 Kinsman Blvd
Madison, WI
Phone- (608) 246-7934
E-mail:
thomas.brokaw@dot.wi.gov

** denotes an unsatisfactory batch that is excluded for use.*

<u>WisDOT Test</u>			<u>Manufacturer</u>	<u>Batch</u>	<u>WisDOT Comments</u>
310	53	2009	POTTERS INDUSTRIES - MUSCATINE, IA	050909MU01-22	Satisfactory for Epoxy and Paint
310	54	2009	POTTERS INDUSTRIES - MUSCATINE, IA	050909MU01-22E	Satisfactory for Epoxy only
310	55	2009	POTTERS INDUSTRIES - MUSCATINE, IA	050809MU01-22E	Satisfactory for Epoxy only
310	56	2009	POTTERS INDUSTRIES - MUSCATINE, IA	051009MU01-22	Satisfactory for Epoxy only
310	57	2009	POTTERS INDUSTRIES - MUSCATINE, IA	051409MU01-22	Satisfactory for Epoxy only
310	58	2009	POTTERS INDUSTRIES - MUSCATINE, IA	051409MU23-44	Satisfactory for Epoxy only
310	59	2009	POTTERS INDUSTRIES - MUSCATINE, IA	051609MU01-22	Satisfactory for Epoxy only
310	60	2009	POTTERS INDUSTRIES - MUSCATINE, IA	051609MU23-44	Satisfactory for Epoxy only
310	61	2009	POTTERS INDUSTRIES - MUSCATINE, IA	051709MU01-22	Satisfactory for Epoxy and Paint
310	62	2009	POTTERS INDUSTRIES - MUSCATINE, IA	051709MU23-44	Satisfactory for Epoxy and Paint
310	63	2009	POTTERS INDUSTRIES - MUSCATINE, IA	051709MU45-66	Satisfactory for Epoxy and Paint
310	64	2009	POTTERS INDUSTRIES - MUSCATINE, IA	051809MU23-44	Satisfactory for Epoxy and Paint
310	65	2009	POTTERS INDUSTRIES - MUSCATINE, IA	051809MU01-22	Satisfactory for Epoxy and Paint
310	66	2009	POTTERS INDUSTRIES - MUSCATINE, IA	052509MU23-44	Satisfactory for Epoxy only
310	67	2009	POTTERS INDUSTRIES - MUSCATINE, IA	052509MU01-22	Satisfactory for Epoxy only
310	68	2009	POTTERS INDUSTRIES - MUSCATINE, IA	052509MU45-66	Satisfactory for Epoxy only
310	69	2009	POTTERS INDUSTRIES - MUSCATINE, IA	052509MU67-88	Satisfactory for Epoxy only
310	70	2009	POTTERS INDUSTRIES - MUSCATINE, IA	052809MU01-22	Satisfactory for Epoxy and Paint
310	71	2009	POTTERS INDUSTRIES - MUSCATINE, IA	052809MU23-44	Satisfactory for Epoxy and Paint
310	72	2009	POTTERS INDUSTRIES - MUSCATINE, IA	052909MU01-22	Satisfactory for Epoxy and Paint
310	73	2009	POTTERS INDUSTRIES - MUSCATINE, IA	052909MU23-44	Satisfactory for Epoxy and Paint
310	74	2009	POTTERS INDUSTRIES - MUSCATINE, IA	060109MU01-22	Satisfactory for Epoxy and Paint
310	75	2009	POTTERS INDUSTRIES - MUSCATINE, IA	060809MU01-22	Satisfactory for Epoxy only
310	76	2009	POTTERS INDUSTRIES - MUSCATINE, IA	060109MU01-22E	Satisfactory for Epoxy only
310	77	2009	POTTERS INDUSTRIES - MUSCATINE, IA	060109MU23-44	Satisfactory for Epoxy only
310	78	2009	POTTERS INDUSTRIES - MUSCATINE, IA	061009MU01-22	Satisfactory for Epoxy only



2009

Summary of WisDOT tests of Glass Beads used in pavement marking

Contact:
Thomas Brokaw, Materials Laboratory Unit supervisor
3502 Kinsman Blvd
Madison, WI
Phone- (608) 246-7934
E-mail:
thomas.brokaw@dot.wi.gov

** denotes an unsatisfactory batch that is excluded for use.*

<u>WisDOT Test</u>			<u>Manufacturer</u>	<u>Batch</u>	<u>WisDOT Comments</u>
310	79	2009	POTTERS INDUSTRIES - MUSCATINE, IA	061409MU01-22	Satisfactory for Epoxy and Paint
310	80	2009	POTTERS INDUSTRIES - MUSCATINE, IA	061709MU01-22	Satisfactory for Epoxy only
310	81	2009	POTTERS INDUSTRIES - MUSCATINE, IA	061509MU01-22	Satisfactory for Epoxy only
310	82	2009	POTTERS INDUSTRIES - MUSCATINE, IA	061609MU01-22	Satisfactory for Epoxy only
310	83	2009	POTTERS INDUSTRIES - MUSCATINE, IA	061809MU01-22	Satisfactory for Epoxy only
310	84	2009	POTTERS INDUSTRIES - MUSCATINE, IA	061909MU01-22	Satisfactory for Epoxy only
310	85	2009	POTTERS INDUSTRIES - MUSCATINE, IA	H061609MUA	Satisfactory for Epoxy only
310	86	2009	POTTERS INDUSTRIES - MUSCATINE, IA	H061709MUA	Satisfactory for Epoxy only
310	87	2009	POTTERS INDUSTRIES - MUSCATINE, IA	H061709MUB	Satisfactory for Epoxy only
310	88	2009	POTTERS INDUSTRIES - MUSCATINE, IA	H061709MUC	Satisfactory for Epoxy only
310	89	2009	POTTERS INDUSTRIES - MUSCATINE, IA	H061809MUA	Satisfactory for Epoxy only
310	90	2009	POTTERS INDUSTRIES / FLEX-O-LITE	H062609MUB	Satisfactory for Epoxy only
310	91	2009	POTTERS INDUSTRIES / FLEX-O-LITE	H062609MUC	Satisfactory for Epoxy only
310	92	2009	POTTERS INDUSTRIES / FLEX-O-LITE	H062809MUA	Satisfactory for Epoxy only
310	93	2009	POTTERS INDUSTRIES / FLEX-O-LITE	H062809MUB	Satisfactory for Epoxy only
310	94	2009	POTTERS INDUSTRIES / FLEX-O-LITE	H070609MUC	Satisfactory for Epoxy only
310	95	2009	POTTERS INDUSTRIES / FLEX-O-LITE	H070309MUA	Satisfactory for Epoxy only
310	96	2009	POTTERS INDUSTRIES / FLEX-O-LITE	H070309MUB	Satisfactory for Epoxy only
310	97	2009	POTTERS INDUSTRIES / FLEX-O-LITE	H070809MUC	Satisfactory for Epoxy and Paint
310	98	2009	POTTERS INDUSTRIES / FLEX-O-LITE	H070909MUB	Satisfactory for Epoxy only
310	99	2009	POTTERS INDUSTRIES / FLEX-O-LITE	H070909MUC	Satisfactory for Epoxy only
310	100	2009	POTTERS INDUSTRIES / FLEX-O-LITE	H071009MUC	Satisfactory for Epoxy only
310	101	2009	POTTERS INDUSTRIES / FLEX-O-LITE	H071109MUA	Satisfactory for Epoxy only
310	102	2009	POTTERS INDUSTRIES / FLEX-O-LITE	H071109MUB	Satisfactory for Epoxy only
310	103	2009	POTTERS INDUSTRIES / FLEX-O-LITE	H071209MUD	Satisfactory for Epoxy only
310	104	2009	POTTERS INDUSTRIES / FLEX-O-LITE	H072109MUB	Satisfactory for Epoxy only



2009

Summary of WisDOT tests of Glass Beads used in pavement marking

Contact:
Thomas Brokaw, Materials Laboratory Unit supervisor
3502 Kinsman Blvd
Madison, WI
Phone- (608) 246-7934
E-mail:
thomas.brokaw@dot.wi.gov

** denotes an unsatisfactory batch that is excluded for use.*

<u>WisDOT Test</u>			<u>Manufacturer</u>	<u>Batch</u>	<u>WisDOT Comments</u>
310	105	2009	POTTERS INDUSTRIES / FLEX-O-LITE	H072309MUA	Satisfactory for Epoxy and Paint
310	106	2009	POTTERS INDUSTRIES / FLEX-O-LITE	H072309MUC	Satisfactory for Epoxy and Paint
310	107	2009	POTTERS INDUSTRIES / FLEX-O-LITE	H072409MUE	Satisfactory for Epoxy and Paint
310	108	2009	POTTERS INDUSTRIES / FLEX-O-LITE	H073109MUC	Satisfactory for Epoxy only
310	109	2009	POTTERS INDUSTRIES / FLEX-O-LITE	H073109MUB	Satisfactory for Epoxy only
310	110	2009	POTTERS INDUSTRIES / FLEX-O-LITE	H073109MUD	Satisfactory for Epoxy only
310	111	2009	POTTERS INDUSTRIES / FLEX-O-LITE	H073109MUE	Satisfactory for Epoxy only
310	112	2009	POTTERS INDUSTRIES / FLEX-O-LITE	H080209MUC	Satisfactory for Epoxy and Paint
310	113	2009	POTTERS INDUSTRIES / FLEX-O-LITE	H080609MUA	Satisfactory for Epoxy only
310	114	2009	POTTERS INDUSTRIES / FLEX-O-LITE	H080609MUE	Satisfactory for Epoxy only
310	115	2009	POTTERS INDUSTRIES / FLEX-O-LITE	H081009MUA	Satisfactory for Epoxy only
310	116	2009	POTTERS INDUSTRIES / FLEX-O-LITE	H081609MUD	Satisfactory for Epoxy only
310	117	2009	POTTERS INDUSTRIES / FLEX-O-LITE	H081909MUA	Satisfactory for Epoxy only
310	118	2009	POTTERS INDUSTRIES / FLEX-O-LITE	H081909MUB	Satisfactory for Epoxy only
310	119	2009	POTTERS INDUSTRIES / FLEX-O-LITE	H082709MUB	Satisfactory for Epoxy and Paint
310	120	2009	POTTERS INDUSTRIES / FLEX-O-LITE	H082809MUB	Satisfactory for Epoxy and Paint
310	121	2009	POTTERS INDUSTRIES / FLEX-O-LITE	H083009MUA	Satisfactory for Epoxy and Paint
310	122	2009	POTTERS INDUSTRIES / FLEX-O-LITE	H082909MUC	Satisfactory for Epoxy only
310	123	2009	POTTERS INDUSTRIES / FLEX-O-LITE	H083009MUB	Satisfactory for Epoxy only
310	124	2009	POTTERS INDUSTRIES / FLEX-O-LITE	H090209MUA	Satisfactory for Epoxy only
310	125	2009	POTTERS INDUSTRIES / FLEX-O-LITE	H090109MUD	Satisfactory for Epoxy only
310	126	2009	POTTERS INDUSTRIES / FLEX-O-LITE	H090309MUA	Satisfactory for Epoxy and Paint
310	127	2009	POTTERS INDUSTRIES / FLEX-O-LITE	H090109MUB	Satisfactory for Epoxy and Paint
310	128	2009	POTTERS INDUSTRIES / FLEX-O-LITE	H090509MUC	Satisfactory for Epoxy only
310	129	2009	POTTERS INDUSTRIES / FLEX-O-LITE	H090609MUD	Satisfactory for Epoxy only
310	130	2009	POTTERS INDUSTRIES / FLEX-O-LITE	H090709MUA	Satisfactory for Epoxy only



2009

Summary of WisDOT tests of Glass Beads used in pavement marking

Contact:
Thomas Brokaw, Materials Laboratory Unit supervisor
3502 Kinsman Blvd
Madison, WI
Phone- (608) 246-7934
E-mail:
thomas.brokaw@dot.wi.gov

** denotes an unsatisfactory batch that is excluded for use.*

<u>WisDOT Test</u>			<u>Manufacturer</u>	<u>Batch</u>	<u>WisDOT Comments</u>
310	131	2009	POTTERS INDUSTRIES / FLEX-O-LITE	H090709MUB	Satisfactory for Epoxy only
310	132	2009	POTTERS INDUSTRIES / FLEX-O-LITE	H090809MUA	Satisfactory for Epoxy only
310	133	2009	POTTERS INDUSTRIES / FLEX-O-LITE	H091809MUA	Satisfactory for Epoxy only
310	134	2009	POTTERS INDUSTRIES / FLEX-O-LITE	H091609MUA	Satisfactory for Epoxy only
310	135	2009	POTTERS INDUSTRIES / FLEX-O-LITE	H091809MUB	Satisfactory for Epoxy and Paint
310	136	2009	POTTERS INDUSTRIES / FLEX-O-LITE	H092009MUB	Satisfactory for Epoxy and Paint
310	137	2009	POTTERS INDUSTRIES / FLEX-O-LITE	H092609MUA	Satisfactory for Epoxy and Paint
310	138	2009	POTTERS INDUSTRIES / FLEX-O-LITE	H092509MUD	Satisfactory for Epoxy and Paint
310	139	2009	POTTERS INDUSTRIES / FLEX-O-LITE	H092009MUC	Satisfactory for Epoxy only
310	140	2009	POTTERS INDUSTRIES / FLEX-O-LITE	H092809MUE	Satisfactory for Epoxy only
310	141	2009	POTTERS INDUSTRIES / FLEX-O-LITE	H092509MUE	Satisfactory for Epoxy only
310	142	2009	POTTERS INDUSTRIES / FLEX-O-LITE	H100509MUC	Satisfactory for Epoxy only
310	143	2009	POTTERS INDUSTRIES / FLEX-O-LITE	H100409MUC	Satisfactory for Epoxy and Paint
310	144	2009	POTTERS INDUSTRIES / FLEX-O-LITE	H092609MUB	Satisfactory for Epoxy and Paint
310	145	2009	POTTERS INDUSTRIES / FLEX-O-LITE	H100409MUD	Satisfactory for Epoxy and Paint
310	146	2009	POTTERS INDUSTRIES / FLEX-O-LITE	H101309MUC	Satisfactory for Epoxy only
310	147	2009	POTTERS INDUSTRIES / FLEX-O-LITE	H100509MUD	Satisfactory for Epoxy only
310	148	2009	POTTERS INDUSTRIES / FLEX-O-LITE	H102809MUB	Satisfactory for Epoxy only
310	149	2009	POTTERS INDUSTRIES / FLEX-O-LITE	H103009MUB	Satisfactory for Epoxy only
310	150	2009	POTTERS INDUSTRIES / FLEX-O-LITE	H110309MUB	Satisfactory for Epoxy only
310	151	2009	POTTERS INDUSTRIES / FLEX-O-LITE	H100309MUC	Satisfactory for Epoxy only
310	152	2009	POTTERS INDUSTRIES / FLEX-O-LITE	H110409MUC	Satisfactory for Epoxy only
310	153	2009	POTTERS INDUSTRIES / FLEX-O-LITE	H110709MUD	Satisfactory for Epoxy only
310	154	2009	POTTERS INDUSTRIES / FLEX-O-LITE	H110909MUD	Satisfactory for Epoxy only
310	155	2009	POTTERS INDUSTRIES / FLEX-O-LITE	H111009MUA	Satisfactory for Epoxy only
310	156	2009	POTTERS INDUSTRIES / FLEX-O-LITE	H111009MUB	Satisfactory for Epoxy only



2009

Summary of WisDOT tests of Glass Beads used in pavement marking

Contact:
 Thomas Brokaw, Materials Laboratory Unit supervisor
 3502 Kinsman Blvd
 Madison, WI
 Phone- (608) 246-7934
 E-mail:
thomas.brokaw@dot.wi.gov

** denotes an unsatisfactory batch that is excluded for use.*

<u>WisDOT Test</u>			<u>Manufacturer</u>	<u>Batch</u>	<u>WisDOT Comments</u>
310	157	2009	POTTERS INDUSTRIES / FLEX-O-LITE	H111009MUC	Satisfactory for Epoxy and Paint
310	158	2009	POTTERS INDUSTRIES / FLEX-O-LITE	H111109MUE	Satisfactory for Epoxy only
310	159	2009	POTTERS INDUSTRIES / FLEX-O-LITE	H111109MUA	Satisfactory for Epoxy only
310	160	2009	POTTERS INDUSTRIES / FLEX-O-LITE	H111109MUD	Satisfactory for Epoxy only
310	161	2009	POTTERS INDUSTRIES / FLEX-O-LITE	H111209MUA	Satisfactory for Epoxy only
310	162	2009	POTTERS INDUSTRIES / FLEX-O-LITE	H111209MUB	Satisfactory for Epoxy only